

- Plastic Poly Sheeting
- Protective Clothing
- Respirators
- Full Face Mask
- Abestos Abatement
- Lead and Mold Abatement
- Decontamination
- Chemicals Mastic Removers
- Chemical Encapsulants
- *And Much, Much More!*



West Chester, PA 19382
Order Toll Free: 1-800-872-3684
Order by FAX: 1-610-436-4983
Order Online: www.thesafetyhouse.com



PRODUCT CATALOG

*Safety, Environmental,
Asbestos Abatement*

Order Online: www.thesafetyhouse.com

1-800-872-3684

Hours of Operation: Monday to Friday, 8am-5pm EST



Where the best brands meet!

For your on-line shopping convenience!

JUST ADD TO CART

Either a call or a click away!

We are an innovative supplier of PPE, abatement supplies, safety, industrial, environmental, and emergency services equipment and. . .

. . .we care about your experience with our company!

Our goal is to make your order process easy by stocking quality products, fast, same day shipping on most orders, competitive pricing, and our commitment to service.

We believe our company is an extension of your company. We go the extra mile to help you become successful!

Our dedication to you, our customer, is to provide the right products, at the right cost, at the right time.

Our shipping is to anywhere in the United States

and surrounding countries. We ship UPS and we are located in West Chester, PA, positioning ourselves to service the northeast corridor with our own fleet of delivery trucks

We offer over 20,000 products having access to all major manufacturers and suppliers including: Kimberly Clark, MSA, 3M, Eagle, Uvex, Howard Leight, Dupont, Best, and many more.

We market our company's products through direct sales reps, customer service reps, direct mail campaigns and e-commerce web site.



West Chester, PA 19382

Order Toll Free: 1-800-872-3684

Order by FAX: 1-610-436-4983

Order Online: www.thesafetyhouse.com

2011 PRODUCT CATALOG



Where the best brands meet!

TABLE OF CONTENTS

ASBESTOS ABATEMENT

rs, Tubing, Ducting.....	3
Decontamination	4-5
Polysheeting, Trash Bags	6
Glove Bags, Box Liners, Tape, Adhesive.....	7

DUST CONTROL

ASBESTOS Protection	8
ZIPWALL Barrier Systm Products.....	9

VACUUMS

Hepa	10-11
------------	-------

CHEMICALS

Mastic Removers	12
Asbestos Encapsulants.....	13
Disinfectant Cleaners	14
Bacterial Defense.....	15
Cleaning Solutions.....	16
Paint Removers.....	17

LEAD/MOLD

Air Filtration - Dehumidifiers.....	18-20
Air Movers	21
Lead Testing	22

Lead Abatement Kit.....	23
Lead Detection / Abatement	24-25

PROTECTIVE CLOTHING

Hand Protection.....	26-27
Safetyhouse NexGen Coveralls	28-29
Tyvek ®	30
Tychem ®.....	31
KleenGuard ®.....	32-33

RESPIRATORY

3M™ Respirators.....	34
3M™ Cartridges/Filters	35
MSA ® Respirators	36
MSA ® Cartridges/Filters.....	37
North ® Respirators.....	38
North ® Cartridges/Filters	39
Disposable Respirators.....	40-41

TOOLS.....	42-43
------------	-------

INDEX	44
-------------	----

SHIPPING, RETURNS	45
-------------------------	----

Disclaimer:

Care has been taken to ensure the accuracy of descriptions and applications of each item, but theSafetyhouse.com® assumes no responsibility for possible errors. Photos are intended for identification only and may not represent the specific part to be shipped. theSafetyhouse.com® is a registered trademark of American Environmental Enterprises, Inc. Permission to reproduce any portion is denied. Printed in U.S.A. COPYRIGHT © 2011 theSafetyhouse.com®

ASBESTOS ABATEMENT

Air Filtration - Neg. Air Machines

#AM0099



Aeroclean 400 CFM Negative Air Mover

For The Small Areas.

This unit was created in 2000 by the request of contractors that required a small unit for the tightest/smallest of areas. Made from aircraft grade aluminum for reduced weight.

#AM0100



Aeroclean 500 CFM Negative Air Mover

Variable Speed.

This unit is growing in popularity for it's fan speed switch, which allows the contractor to determine the speed and amount of air being filtered.

#AM0100P



Aeroclean 600 CFM Negative Air Mover

2004 Air Scrubber of the Year

Aerospace had a hard time keeping up with demand for this unit. Almost 700 CFM on high speed allows this small unit to be handled by one person... A TREMENDOUS BARGAIN! Made from aircraft grade aluminum for reduced weight.. Not available in casters.

#AM0101



Aeroclean 1800 CFM Negative Air Mover

Slim unit for those hard to squeeze areas!

The 1800 is only 18" wide but still produces over 1800 cubic feet per minute. This unit has been increasing in popularity year after year. Made from aircraft grade aluminum for reduced weight.

#AM0102



Aeroclean 2000 CFM 'ECONO' Negative Air Mover

"ECONO" The Original Air Scrubber

The original unit manufactured in 1981. It all started with this unit, duplicated by many, but we are proud of the "ECONO's" history. Made from aircraft grade aluminum for reduced weight.

Model	Aeroclean 400 Mag	Aeroclean 500 Mag	Aeroclean 600 MAG	Aeroclean 1800	Aeroclean 2000 'Econo'
Part #	AM0099	AM0100	AM0100P	AM0101	AM0102
Air Capacity High	400 CFM	550 CFM	675 CFM	1850 CFM	1950 CFM
Air Capacity Low	200 CFM	100 CFM	450 CFM	1200 CFM	1300 CFM
Motor	1/2 HP (two speed rocker switch)	1/2 HP (two speed rocker switch)	1.0 HP (two speed switch)	1.0 HP (two speed switch)	1.0 HP (two speed switch)
Dimensions	26" L x 14" W x 14" H	28" L x 14" W x 15" H	26" L x 18" W x 18" H	33" L x 18" W x 26" H	33" L x 26" W x 26" H
Castors	Four (4) Rubber Feet	Four (4) Rubber Feet	Four (4) Casters	Four (4) Casters	Four (4) Casters
Handles	None	None	None	Four (4) Handles	Four (4) Handles
Exhaust	8" Exhaust	8" Exhaust	12" Exhaust	12" Exhaust	12" Exhaust
Weight	45 lbs.	41 lbs.	80 lbs.	115 lbs.	120 lbs.
Door	Slide Down Door	Slide Down Door	Slide Down Door	Slide Down Door	Slide Down Door
Filters 1st Stage	13" x 13" Pre-Filter	13" x 13" Pre-Filter	16" x 16" Pre-Filter	24" x 16" x 1" Ring Panel	24" x 24" Pre-Filter
Filters 2nd Stage	13" x 13" x 1" Ring Panel	13" x 13" x 1" Ring Panel	16" x 16" x 1" Ring Panel	24" x 16" x 1" Ring Panel	24" x 24" x 1" Ring Panel
Filters 3rd Stage	12"x12"x11-1/2" HEPA Filter	12"x12"x11-1/2" HEPA Filter	16"x16"x5-7/8" HEPA Filter	24"x16"x11-7/8" HEPA Filter	24"x24"x11-7/8" HEPA Filter
Options	Carbon Filter	Maintenance free motorized impeller	Filter, Intake Manifold	Intake Manifold, Carbon Filter, Hour Meter, "HEPA Switch"	Intake Manifold, Carbon Filter, Hour Meter, "HEPA Switch" Glasfloss Puracell V-Cell Mini-Pleat Series filters are now available on this unit.



ASBESTOS ABATEMENT

Air Filtration - Neg. Air Machines

Novair F2100 CFM 12" Vacuum Port

- Powerful 2HP motor generates exceptional, consistent flow rate and utilizes all filter media area
- 2 speed motor-provides consistent air flow of 2000cfm (high speed) and 1000cfm (low speed)
- 8 point motor/cage mounting prevents motor and cage shifting under the harshest conditions
- One of the lightest 2000cfm units on the market is easily transported by 2 operators

- Positive lock filter prevents filter movement for uninterrupted filtration
- Seamless construction guarantees leak proof operation
- Uses standard 24" x 24" H.E.P.A. filters, rated 99.97% efficiency against 0.3 micron particles
- General Purpose Filters & Audible Alarms are also available
- Custom controls & features available upon request



#AM0102P

Novair F1000 CFM 10" Vacuum Port

- Powerful 3/4HP motor generates exceptional, consistent flow rate and utilizes all filter media area
- 2 speed motor-provides consistent air flow of 1000cfm (high speed) and 500cfm (low speed)
- 8 point motor/cage mounting prevents motor and cage shifting under the harshest conditions
- Seamless construction guarantees leak proof operation

- Lightweight design with incorporated skids allow for easy and safe transport
- Positive lock filter prevents filter movement for uninterrupted filtration
- Uses standard 16" x 16" H.E.P.A. filters
- General Purpose Filters & Audible Alarms are also available
- Custom controls & features available upon request



#AM0104

Model	Novair F2100	Novair F2100	Novair F2100
Part #	AM0102P	AM0102P-A	AM0102P-G
Description	Novair 2000 c/w HEPA Filter	Novair 2000 c/w HEPA Filter, Audible & Visual Alarms	Novair 2000 c/w General Purpose Filter
Air Capacity High	2000 CFM		
Air Capacity Low	1200 CFM		
Motor	2 HP-Two Speed Thermally Protected		
Dimensions	37" x 26" x 31"		
Power	115 Volt, 15 Amp, 60 Hz		
Weight	135 Lbs..	135 Lbs..	120 Lbs..
Filtration	24" x 24" x 11.5" HEPA Filter 1/2" Pad & Ring Panel		Dust Filter, 1/2" Pad & Ring Panel

Model	Novair F1000	Novair F1002	Novair F1005
Part #	AM0104	AM0104-A	AM0104-G
Description	Novair 1000 c/w HEPA Filter	Novair 1000 c/w HEPA Filter, Audible & Visual Alarms	Novair 1000 c/w General Purpose Filter
Air Capacity High	1000 CFM		
Air Capacity Low	500 CFM		
Motor	Two Speed Thermally Protected		
Dimensions	20" x 23" x 40"		
Power	115 Volt, 5 Amp, 60 Hz		
Weight	81 Lbs..	81 Lbs..	76 Lbs..
Filtration	16" x 16" x 11.5" HEPA Filter 1/2" Pad & Ring Panel		Dust Filter, 1/2" Pad & Ring Panel

Filters



Size	Pre-Filter	Secondary Ring Panels	Pleated Filters	Charcoal Pleated	HEPA Filter
13" x 13"	AF0010-13/13	AF0020-13/13	na	na	AF0050-13/13
16" x 16"	AF0010-16/16	AF0020-16/16	AF0030-16/16	na	AF0050-16/16
16" x 20"	AF0010-16/20	AF0020-16/20	AF0030-16/20	na	AF0050-16/20
16" x 24"	AF0010-16/24	AF0020-16/24	na	na	AF0050-16/24
18" x 24"	AF0010-18/24	AF0020-18/24	AF0030-18/24	AF0040-18/24	AF0050-18/24
24" x 24"	AF0010-24/24	AF0020-24/24	AF0030-24/24	AF0040-24/24	AF0050-24/24

Flexible Ducting

Clear Flexible Ducting

AM0197	8" x 25' Sections
AM0201	10" x 25' Sections
AM0202	12" x 25' Sections
AM0203	14" x 25' Sections



Layflat Tubing (no wiring) 21 lbs.. 2.5 mil

AM0304	12" x 500'
AM0314	14" x 500'

ASBESTOS ABATEMENT

Decontamination

#DC0119



Disposable 3 Stage Decontamination Shower - 38" x 38"

Low-cost, durable and disposable decontamination solution for abatement projects.

This shower system eliminates the hassle of constructing a decontamination facility on small, short duration projects. Sets up quickly to easily reduce your labor costs. It is the first all poly constructed unit, which means it can withstand the daily rigors of abatement projects without losing any structural integrity. Each 3-stage configuration is also available in fire retardant polyethylene construction.

- All units meet OSHA and EPA guidelines for decontamination facilities.
- These units are made from two layers of 6-mil poly and have triple-flap ingress/egress doorways. 38" x 38"
- Available in six different configurations, from the basic 3-stage unit to an extra large 3-stage unit, a 2-chamber clean room and equipment room unit for use with pop-up style metal showers.

Poles, drain water pick-ups and shower nozzle hardware are reusable and available separately.

DC0119FR	Disposable 3-Stage Decontamination Shower-38"x38" Flame Retardant
DC0101	Disposable 3-Stage Decontamination Shower-48"x48"
DC0121	Shower Head Assemble
DC0120	Replacement Poles

#DC0112



Aerospace Telescoping Shower

The ORIGINAL Collapsible telescoping decontamination shower. The Aerospace Telescoping Pop-up Aluminum Shower is easily set up by two men in a matter of seconds.

- Lightweight aluminum construction
- 100 micron drain filter
- Removable curtain
- Two handles for EZ handling
- Dimensions Open: 31" x 30" x 83"
- Dimensions Closed: 31" x 31" x 48"
- Weight: 100

DC9105-2	Curtains for Telescopic Shower	DC9105-6	Brass Faucet Assembly for Telescoping Shower/each
DC9105-4	Spray Wand Assemble/Showers	DC9105-7	Handles Hot/Cold for Aerospace Decon

Dual Water Filtration System

Aerospace 2 Stage Pump #9115 - 1/2 HP Dual Water Filtration System 15 Gallons per minute. Used with and Aero-shower. Weighs only 36 pounds

- Two stage shower pump
- MADE IN U.S.A.
- Enclosed aluminum container
- Galvanized plumbing
- 5 Micron and 50 Micron filtration
- 12 Gallons per minute
- 1/2 H.P motor
- Weight: 36 lbs.

WF0502 Dual Water Filtration System

Accessories



Replacement Water Filters

WF0201	1 Micron
WF0203	5 Micron
WF0204	10 Micron
WF0205	25 Micron
WF0206	50 Micron
WF0207	100 Micron



Micron Filter Bags

WF0301	5 Micron
WF0302	25 Micron
WF0303	50 Micron
WF0304	100 Micron

Bosch GL4TI Ariston Pro Electric Mini-Tank Water Heaters

Ideal for use on the Telescoping shower to create an instantaneous constant flow of hot water, pipes are heated so you never run out of hot water.

This heater with a mini-tank stores 3.85 gallons of water and easily connects to the back of the Telescoping shower. They are manufactured with titanium for longer life and helps prevents any leakage from the tank.

- Glass-lined tank for longer life
- Mounts on wall or floor
- Plugs into standard 120 volt outlet
- Meets ASHRAE 90.1 Standard
- Temperature/pressure relief valve included



WF0530 Mini-Tank Water Heater

ASBESTOS ABATEMENT

Decontamination

TheSafetyhouse.com - Your FIRST Choice For All Of Your Absorbency Needs.

MastaSorb

This fiberized wood based product absorbs up to 15 times it's weight which allows a bale to solidify between 2000 and 2500 square feet of liquid mastic clean up.

- Super Absorbent
- Biodegradable
- Non Irritating
- No Odor
- No Hazardous Chemicals
- Envirohmentally Friendly



CHM0150 MastaSorb

Vacuum Packed Colored Rags

For job site clean up and ideal for absorbing the heavy mastic removal jobs.

A very large bag of rags vacuum sealed bags to ensure you get a large quantity of rags per bag. The rags are recycled clothing and are generally quite strong making them ideal for cleaning away oil and grease etc. Ideal for mechanics.



MS1010	10 lbs.
MS1025	25 lbs.
MS1045	50 lbs.

SpillTech Medium Weight Oil Pad 18"x15"

White 100/bale - Pads quickly absorb oil for effective cleanup of petroleum-based spills on land or water, protecting the environment from contamination. Absorbs Oily Liquids — Repels Water. Oily grunge can't hide on bright white.



SR1000

Universal Absorbent Pads - 17" x 15"- Gray

Gray Universal Rag Rugs are made from recycled fibers. Pound for pound and dollar for dollar, it offers one of the most absorbent products anywhere. It is constructed from a single layer of natural and synthetic fibers that is then carefully needle-punched and heat set. 40 lb. bag.



SR0704

SpillTech Absorbent Boom 5"x10' White 4/bale

Boom applications include: ditches, streams, retention ponds and waterways. Will not absorb water. 100% polypropylene will not deteriorate. Metal clips allow fastening together for multiple boom applications.




SR1002

Lag Cloth

Designed to encase spray-on fireproofing, asbestos-containing plasters and paints, transite, and asbestos-containing thermal insulation.

Lag-cloth viscous formulation minimizes dripping, cleanup and product waste. Lag-cloth provides a smooth, washable, aesthetically superior finish that will provide years of lasting protection. Lag-cloth has excellent resistance to alkalis and can be applied directly over galvanized metal, wood, masonry or other sound surfaces. UV inhibitors make Lag- cloth suitable for encasement of exterior transite siding and asbestos fortified paint systems. Lag-cloth is water-based and non-toxic.

- Economical.
- Water-resistant.
- Fast and easy to use.
- Covers pipes, valves, fittings and duct work.
- Holds it's strength and form.




IN0010	5' x 150' roll
IN0015	4" x 150' roll

Pump Sprayers

Versatile sprayers ideal for spraying the wetting agent or encapsulant.

Performance and price make these sprayers excellent values. Handheld sprayer provide high quality without the high price tag. Gaskets stand up to heavy-duty use and provide leak-resistant connections and long life. Sprayer features a commercial-grade, anti-drip shutoff valve with large paddle grip and easy-to-clean filter. Tank cap has a built-in pressure-relief valve that sends liquids and air away from the opening when released. Includes a long wand to provide the extra length you need for jobs that may be otherwise out of reach.



TT0161	Hand-held, Translucent tank - 2 Gallon sprayer for application of the encapsulant or wetting agent
TT0162	Hand-held, yellow tank - 2 Gallon sprayer for application of the encapsulant or wetting agent
TT0171	A three-gallon airless sprayer for application of the wetting agent; on wheels.

Hair and Body Shampoo

Easy hook to have ready access for after Decon

Contains Skin Conditioners, protein for body and healthy hair, deodorant power to fight odors caused by bacteria, plus rich emollients that leave natural oils on the skin and hair.



MS0135 Shampoo Hair & Body

2 and 4 Ply Scrim Bath Towel White Disposable and Durable

Perfect for to dry off after decon shower, these towels are soft and absorbent.

DP0240	2-Ply Scrim Bath Towel White 15"x36" 275/case
DP0245	4-Ply Reinforced HD Towels/case

Hoses & Accessories



WF0475	50' Sect. 3/4"-Water Hose Rubber
WF0455	Gilmour HD Plastic Spray Nozzles
WF0456	Gilmour Metal Spray Nozzle w/ Threaded Front
WF0465	Y Shut Off Connector
WF0466	"Y" Connector w/o Shut off
WF0470	Metal "Y" Connector w/Shut Off Valve

SHOWER ACCESSORIES

ASBESTOS ABATEMENT

Poly Sheeting & Trash Bags

POLY SHEETING

Contain your asbestos debris by constructing a safe plastic containment area and bags for safe removal.

Poly Sheeting

Let [www. theSafetyhouse.com](http://www.theSafetyhouse.com) be your *trusted* source for all of your Poly Sheeting needs!

THESAFETYHOUSE.COM'S goal is to provide you true size Poly Sheeting, in both length and thickness.

Clear Poly Sheeting

Clear or translucent polyethylene sheets are strong transmitters of sunlight, and trap heat. Our translucence Poly Sheeting has a center cut for easy cutting, saving money and material.

Save Time and Waste with our Center Cut!

Size	4MIL	5MIL	6MIL
10' x 100'	PC0092	PC0110	PC0091
12' x 100'	PC0102	PC0103	PC0104
20' x 100'	PC0090	PC0095	PC0096

Flame Retardant Poly Sheeting

Made from high strength fire retardant film laminated together with a third layer of molten polyethylene. Very durable, vapor barrier, ideal for containment and weather-proofing.

Size	4MIL	5MIL	6MIL
10' x 100'	PF0111	PF0108	PF0109
12' x 100'	PF0107	PF0105	PF0106
20' x 100'	PF0103	PF0102	PF0101

Black Poly Sheeting

Black Poly conceals your products as it protects it from the elements. Great for use on construction materials and equipment. Black polyethylene sheets are strong absorbers of sunlight, and get very hot.

Size	4MIL	5MIL	6MIL
20' x 100'	PB0093	PB0094	PB0095

String Reinforced Poly Sheeting

PR1101	20' x 100' String Reinforced
PR1102	20' x 100' Flame Resistent

Trash Bags

Need Asbestos Bags? The Safety House can provide the most reliable asbestos removal bags, at a guaranteed great price.

Call for custom Size Bags!

Black ACM Printed Bags

Size	Industrial (3.5MIL)	Full Weight	6MIL SPEC
30"x40"	BA999 100/case	BA1017 100/case	BA1016 75/case
33"x50"	BA998 75/case	BA1002 75/case	BA1025 75/case
33"x50"	BA1011 100/roll	BA1002R 75/roll	BA1026 75/roll
36"x60"	BA1012 50/case	BA1020 50/case	BA1028 50/case

Clear ACM Printed Bags

Size	Industrial (3.5MIL)	Full Weight	6MIL SPEC
30"x40"	BA1014A 100/case	BA1006 100/roll	BA1005 75/roll
33"x50"	BA1010 100/roll	BA1023 75/case	BA1024 75/case
36"x60"	BA1013 50/roll	BA1027 50/roll	BA1029 50/case

Non Printed Bags

Size	Black Industrial (3.5MIL)	Clear Industrial (3.5MIL)
30"x40"	BB999 100/case	BC1014 100/roll
33"x50"	BB1013 75/case	BC1025 100/roll
36"x60"	BB1019 50/roll	BC1021 50/roll
38"x63"	BB3863 75/roll	BC3863 75/roll

Red Biohazard Bags

Size		Pt. #
43"x49"x 2 Mil	100 per case	BR4349
46"x40"x 3 Mil	25 per case	BR4640

Seed Bags

Size		Pt. #
28"x40"	Used	PS0001
28"x40"	New	PS0002
25"x40"	New	PS0005

44x60 Glove Bags Single Glove Bags

25 bags per roll
Single-use glovebags for repair and maintenance.

44x60 Glove Bags Extended Run

25 bags per roll
The basic Extended-Run glovebag. This economy model has all the features of the Available line except the entry ports. Enclose pipe diameters up to 8' in runs of 6' to 91' of horizontal pipe. Each of the 25 chambers measures 44" x 60" allowing you to cut of as many or as few as you need. One arm set per chamber, stocked in 6 mil, available in 10 mil special order.

60x72 Glove Bags Extended Run

20 bags per roll
The workhorse for extended-runs of large diameter pipe. Encloses pipe diameters up to 14", and can safely contain anywhere from 8' to 100' of horizontal pipe. Each of the 20 chambers measure 60" x 72", allowing you to cut off as few or as many as you need. One arm set per chamber, stocked in 6 mil and available in 10 mil special order.

72x120 Glove Bags Extended Run

10 bags per roll
The standard, single-use glove bag that revolutionized the industry with labor saving features. Smart design details such as quick attach collars, HEPA/water entry ports, Fiber Guard glove sleeves and arm openings placed so the weight of debris doesn't rest on the worker make these bags the choice of abatement professionals.

GB0100	44"x 60" Single Glove Bags
GB0102	44"x 60" Continuous Glove Bags
GB0106	60"x72" Continuous Glove Bags
GB0108	72"x120" Continuous Glove Bags

Dumpster Liners

Polyethylene Black Roll-off Liners - 6 mil 22'L x 6' H

Our Dumpster Liners are disposable polyethylene container liners used in the transportation of bulk solids and liquids. We take pride in providing our customers with container liners that offer superior performance at great prices.

PL1329	22' x 8' x 5.5' - 3 Mil. Black Roll Off Liners 20 Yard
PL1330	22' x 8' x 12' - 6 Mil. Black Roll Off Liners 30 Yard
PL1335	22' x 8' x 8' - 6 Mil. Black Roll Off Liners 40 Yard

Gaylord Liners

Conveniently stored on perforated, easy-to-dispense rolls

Gaylord and tote bin bags are used to protect raw materials from a container that might be harmful to the product being processed, stored, or transported. Gaylord bags fit inside corrugated boxes, metal bins, fiberglass containers and plastic containers, and cover the bottom and the sides of the box in heavy duty polyethylene plastic.

PA8000	Gaylord Liners 42" x 41" x 85" - Black 30 per case
PA8005	Gaylord Liners 42" x 41" x 85" - 6T-Black/30 roll
PA8006	Gaylord Liners 40"x 41" x 85" - 8 Mil. Clear 25/roll

Gaylord Boxes

Our New or Used heavy duty corrugated Gaylord Boxes are designed for large shipments and consolidation of small packages into a single container and can hold from 1000 – 2500 lbs.. The heavy duty design allows for incredible stacking ability and bulge resistance. They can be strapped to many standard pallets. Decreases risk of damage and loss in storage and transit. Reduces handling time and discourages pilferage.

PA8050UN	New Gaylord Box 42" x 36" x 36" with UN Label
PA8050	Used Gaylord Boxes 42" x 36" x 36"

ASBESTOS ABATEMENT

Bags, Liners, Tape

POWERGRIP

Power Grip Silver Duct Tape

- Conforms well to irregular surfaces
- High adhesion
- Crisp, straight tear
- Resists twisting and curling
- Low VOC
- Thickness: 10 mills
- Adhesion to Steel: 46 oz./in.
- Tensil: 23 lb./in.
- Operating Temperature: 300 degrees

TD0570-2	2" Silver/Duct Tape 24rolls/case	
TD0570-3	3" Silver/Duct Tape 16rolls/case	
TD0590-2	2" Silver/Duct Tape 24rolls/case	
TD0590-3	3" Silver/Duct Tape 16rolls/case	

Nashua Duct Tape

TD0102	Nashua 300 3" Grey Duct Tape 16/case	
TD0103	Nashua 300 2" Grey Duct Tape 24/case	
TD0105	Nashua 357 2" Grey Tape 24rolls/case	
TD0106	Nashua 357 3" Grey Tape 16rolls/case	
TD0111	Nashua 396 2" Grey Tape 24rolls/case	
TD0112	Nashua 396 3" Grey Tape 16rolls/case	
TD0107	Nashua 398 2" Grey Tape 24rolls/case	
TD0108	Nashua 398 3" Grey Tape 16rolls/case	

- Light Duty
- Average Duty
- Heavy Duty

Masking Tape

TM0090	Masking Tape 2" x 60 yds.-Blue/case
TM0090-3	Masking Tape 3" x 60 yds.-Blue/case

Spray Bond Adhesive

Spray Bond Glue Adhesive is a heavy duty spray adhesive. Contains no chlorinated solvents. Specially formulated spray adhesive is designed for asbestos abatement contractors because the unique web-based spray will stick to almost anything. You can count on Spray Bond to keep your poly hanging.

D-Limonene Citrus DeGreaser

As a straight solvent, d-Limonene can replace a wide variety of products, including mineral spirits, methyl ethyl ketone, acetone, toluene, glycol ethers, and of course fluorinated and chlorinated organic solvents. 12.5 oz cans/12 per case.

Boss Spray Spray Foam

BOSS® 635 Spray Adhesive combines a uniform misting spray pattern with super high solids to create a fast tacking and high bond strength product capable of handling virtually any light or heavy duty job.

CHA0105	Spray Bond Glue Adhesive 12 cans/case
CHC0130	D-limonene Citrus Terpene Solvent Cleaner All Natural Green Degreaser
MS0170	Boss Spray Spray Foam 12 oz.- 12 cans/case

DUST CONTROL

ASBESTOS Protection


#MS3027



Window Shield

Use WINDOW SHIELD to protect against over-sprays, mortar stains, stucco residue and more! With WINDOW SHIELD there is no more scraping and cleaning or damage to the glass surface. Protect your windows and glass with WINDOW SHIELD and save time, labor and money.

#CB0904



Shoe Covers

Protect your floor or carpet from dirt, scuffs, and heel marks with our slip-on SHOE COVERS. Easy to use shoe covers are perfect for general construction work, open houses, as well as during inspections. Shoe covers are lightweight and disposable. One size fits all.

#MS3024



Carpet Shield® Applicator

For even easier application... try the original multi-use applicator which can be used for three different roll widths (24", 30" and 36"). This applicator makes large area commercial jobs quick and easy.

#MS3025



Carpet Shield®

Clear, self adhering protective film for all types of carpeting. Formulated adhesive system adheres to all carpet substrates. Special blend of polyethylene is highly resistant to tears or punctures. Reverse wound for easy application. New added solvent technology to go with only approved water based adhesive system for wool carpets.

MS3025-24X	24" x 200'
MS3025-36X	36" x 200'

#MS3646




Clean Step Pad 36x46 30 shts/pad, 8 pads/box

Clean Mat is a polyethylene film mat with a tacky surface that removes dust and dirt from footwear and prevents it from being tracked. Clean Mat stays firmly in place and is easy to use and dispose of. (Note: Does not adhere to carpet surfaces.)

- Protects against dirt and bacterial pollution
- Disposable, effective and economical
- Adhesive coated surface attracts and contains dust and dirt
- Simply peel off a used sheet to expose a fresh one
- Backing helps to prevent pads from foot damage

#MS0300



Ram Board

Ram Board is a heavy-duty, temporary floor protection engineered for Contractors. Designed with cost and efficiency in mind; it lays out fast and is re-usable. Ram Board is non-staining and utilizes it's Flex-Fiber™ technology allowing for the curing of new floors on jobsites. It provides the perfect solution when protecting new or existing concrete, wood, tile, stone, linoleum, vinyl composition tile (vct), epoxy, and most other floor types. In terms of floor protectors, we are #1 in the construction world!

- Prevent breached containments by providing positive support.
- Poly hangers save time and labor by making quick work of building containments or dust protection barriers.

- Attach in a few seconds to building surfaces and then attach to the polysheeting.
- Eliminate damage and cleanup costs caused by tape and glue adhesives.



Metal Poly Hanger #1 - #TT0168

Supports one or more layers of poly in front of walls. Hanger 1 slips behind wall molding and is supported by the vertical leg of the molding. Hanger 1 will also support poly in front of masonry or paneling by nailing into a joint which can be easily patched after tear down.



Metal Poly Hanger #2 - #TT0173

Supports one or more layers of poly in front of walls. Hanger 2 clips over the horizontal leg of acoustic ceiling wall molding. The prong makes hanging poly faster and ensures it will stay up during the length of the job.



Plastic Poly Hanger #3 - #TT0170

Supports poly from ceiling grid and other overhead objects. Hanger 3 is installed over the pin and is held in place by a removable retainer. Hanger 3 supports poly both horizontally and vertically for building full containments, connecting tunnels, dust curtains, and temporary protection barriers.



Plastic Poly Hanger #4 - #TT0172

Supports poly from many building components. Hanger 4 includes a 10" releasable cable tie so it can attach to roofing joists, pipes, and other objects. See instructions for other fastening options.

US Patents #5203529 & #5207403

ZIPWALL

#DC0212



SLP 2-Pack

The SLP2 comes with two of our Spring Loaded Poles and is great when you need a bunch of poles for a big job. The SLP™ pole has the spring loaded plunger built right into the pole, yet the SLP™ pole weighs in at just over a pound and a half, extending 4' 9" to 12'.

- 2 Spring loaded poles
- 2 Tethers
- 2 Grip disks

#DC0412



4-Pack

4 ZipPole™ steel Spring Loaded Poles, a head, plate, tether, and GripDisk™ for each pole, a heavy duty Carry Bag, and a box of 2 Standard Zippers. Plastic sheeting is not included.

- 4 SLPs
- 4 Grip Disks
- 1 Carry bag
- 2 ZipWall standard zippers

#DC0200



4-Pack Plus

Includes four poles, enough to build a barrier in many configurations, plus 2 Foam Rail™ cross bars to seal straight across the ceiling without marring it. Includes Carry Bag large enough to accommodate up to 8 more poles or Foam Rails.

- 4 SLPs
- 2 Foam Rail cross bars
- 4 Grip Disks
- 2 ZipWall standard zippers
- 1 Carry bag

#DC0612



SLP 6-Pack

The SLP6 comes with six of our Spring Loaded Poles and is great when you need a bunch of poles for a big job. It's also an economical way to add SLP™ poles to your ZipWall® system.

- 6 Spring loaded poles
- 6 Grip disks
- 6 Tethers

#DC0211



Kit 20

The Kit 20 package is ideal for any job with a ceiling height from 6 feet 9 inches to 21 feet. Just try putting up a 20 foot high barrier using a step ladder, it's impossible. But with the ZipWall® Kit 20 poles, you can have a tight barrier up in just minutes without your feet ever leaving the ground.

- 2-20 foot extension poles
- 2-Spring-loaded jacks
- 2-Grip disks
- 2-Tethers

DUST CONTROL


ZIPWALL Barrier System

Zippers

Standard Zipper #DC0215


Put a doorway anywhere on your barrier using the self adhesive ZipWall® Standard zipper. Remove paper backing and stick the zipper to the barrier. The Standard Zipper is great for interior barriers where the temperature is above 55 degrees.

- Case pk. size: 16 3/4" x 7 1/4" x 9 3/4" contains 12 boxes
- 2-Tie strings to support openings
- 2-7" self-adhesive zippers
- Instruction sheet



Heavy Duty Zipper #DC0216

Makes an easy doorway through plastic barriers, has a greater adhesive area allowing for an aggressive tack. Comes with the ZipWall® zipper knife™ sheeting cutter and has the smoothest glide available and engineered with large sturdy easy-slide teeth. Made with 2-sided pulls for easy entry/exit to or from the barrier



- 2 Seven foot Zippers
- Zipper Knife

Miscellaneous

Side Clamps #DC0202

Never damage another wall. With the ZipWall® Side Clamp and Foam Rail, you can create a tight seal without tape. The Side Clamp™ wall mount snaps onto the Foam Rail™ cross bar and then pushes the plastic against the wall to create a dust tight edge. It's a crazy looking tool but it's quick and easy to use.



Grip Disks #DC0203

The GripDisk™ was developed to meet the need for a product that would keep the ZipWall® pole securely in place when contractors contend with a slick and slippery work site floor, such as highly polished wood or marble. The Grip Disk™ is a non-skid, rubberized disk that holds the pole tightly in place against the floor surface.



- 2 Grip Disks

Carry Bag #DC0220

This durable and attractive bag is designed to hold all your ZipWall® products. It is made of rugged polyester and has plenty of room for standard SLP™ poles, Kit 20 poles Foam Rail™ cross bars, Side Clamp™ wall mounts, or any combination of ZipWall® products. It can hold the equivalent of 12 SLP™ poles.

- Made of tough polyester
- Keeps all your barrier products organized and easy to transport
- Holds the 20 foot pole and the red jack unattached



Polyhangers

VACUUMS

Hepa

PULLMAN-HOLT

#VP1000



HEPA VAC DRY 2HP 10GL 45HEPA-D

True 99.97% Type A Large Capacity HEPA Filter

Equipped with a powerful 2-hp motor and an extra large capacity HEPA filter system, the model 45 offers the air flow efficiency of vacuums costing three times as much. The model 45 is manufactured to the same high standards as our large , so it will withstand years of hard use.

ACCESSORIES SOLD SEPARATELY

VP1005	Replacement HEPA
VP1008	Replacement Tool Kit
VP1012	Disposable Bag
VP1030	Dacron Bag

#VP1020



HEPA VAC 2HP 12GL 102ASB Wet Dry

A true 'work horse' for heavy duty service

Our popular 2-hp, 2-stage long-life motor makes this HEPA vacuum a true 'work horse' for heavy duty service in professional abatement work. The 102ASB offers superior vacuum recovery, ranging from dry, light particulates, to wet, heavy debris.

ACCESSORIES SOLD SEPARATELY

VP1016	Replacement HEPA Filter
VP1021	Replacement Tool Kit
VP1025	Disposable Bag
VP1035	Prefilter
VP1030	Dacron Bag
VP1060	10' Replacement Hose

#VP1050



Pullman Holt 30ASB BacPac

The ideal asbestos vacuum for elevated and hard-to-reach areas. Excellent for sampling and glove bag work.

Heavy duty steel tank with powder coated finish. High efficiency 'Drop-in' style HEPA filter individually certified to have a minimum efficiency of 99.97% at .3 microns (based on 1EST-RP-CC007 particle count test method). Includes 10 ft. crush proof hose and dusting brush. 50 ft. power cord on 30ASB

ACCESSORIES SOLD SEPARATELY

VP1051	Disposable Bag
--------	----------------

#VP1086



HEPA VAC 1HP 5GL 86ASB5D4C

Designed to Work in Tight Areas.

Air seal gasket between the motorhead and tanks forms a positive lock fit with heavy gauge steel tank with powder coated finish. High efficiency 'Drop-in' style HEPA filter individually certified to have a minimum efficiency of 99.97% at .3 microns (based on 1EST-RP-CC007 particle count test method). Includes complete set of tools and a 25 ft. power cord.

ACCESSORIES SOLD SEPARATELY

VP1015	Replacement HEPA
VP1083	Replacement Tool Kit
VP1012	Disposable Bag
VP1032	Prefilter

#VP0390



390ASB 4 Gallon Dry HEPA Vacuum

Designed for professional cleaning and to meet the EPA RRP rule (see page 22)

Designed for professional cleaning, this canister style vacuum has a superior, low profile design that makes it extremely maneuverable and easy to use. 1.5 hp, two-stage, air-through motor (120V, 11.8 amps). Operates at a quiet 65 dB. Constructed of a chrome-plated steel tank with an injection molded base and lid. Onboard tool and cord storage for easy portability. 25' power cord for added versatility. Foot-activated on/off switch.

ACCESSORIES SOLD SEPARATELY

VF0165	Vacuum Bags
VP0391	Replacement HEPA

Model	HEPA VAC DRY 2HP 10GL 45HEPA-D	HEPA VAC 2HP 12GL 102ASB WD	HEPA VAC 1HP 6QT BACPACK 30ASB	HEPA VAC 1HP 5GL 86ASB5D4C	HEPA VAC 4 GALLON 390ASB
Part #	VP1000	VP1020	VP1050	VP1086	VP0390
HP	2	2		1	1.5
Style	Dry	Wet/Dry	Dry	Dry	Dry
Water Lift	105	105	85	85	97
CFM	110	110	101	96	100
Recovery	10 Gallon	12 Gallon		.75 bu	
Ship Weight	33	84	30	38	
Amps	10		7.2		11.8
Capacity			.12 bu		

VACUUMS

Hepa

Nilfisk GD 930 - #VF0164

World class dry vacuum cleaner for effective daily cleaning of large areas.

GD 930 is the reliable, rugged and stable choice for demanding cleaning applications in hotels, schools, offices and hospitals. The ever-popular GD 930 is a canister vacuum cleaner designed for solid performance in abusive environments. Its tremendous suction power and durable construction make it a reliable choice for demanding applications, such as mold or asbestos remediation. A superior filtration system, including a standard HEPA filter, ensures a safer work environment.

SOLD COMPLETE! Included Accessories and Tool Kit: HEPA-Filtered Vacuum with 1000 Watt Motor Includes: 6' Hose Assembly with Bent Wand, Telescopic Wand, 12" Combination Floor Nozzle, Crevice Tool, Combination Round Dust Brush/Upholstery Tool, and one paper bag. The dust bag has a large capacity of 15 litres. The design optimises air flow patterns and reduces energy losses to an absolute minimum. The result is an exceptional suction power.



#VF0164

ACCESSORIES SOLD SEPARATELY

VF0165	Disposable Bags PK 10
VF0173	Replacement HEPA Filter

Dustless Wet/Dry Vacuum - # VD0810

This Wet Dry Vacuum is specifically designed for the fine dust created by grinding, sanding and sawing from diamond wheels and abrasive products.

One of the big advantages of the Dustless HEPA Wet/Dry Vacuum is the optional Wunderbag™ Micro Pre-filter that greatly extends the life of the HEPA filter. The Wunderbag™ is an inexpensive disposable filter that captures the vast majority of the dirt and dust before it reaches the more expensive HEPA filter. In fact, the Wunderbag™ captures particles down to .5 microns. That's remarkably close to the HEPA filter that captures particles down to .3 microns. We highly recommend contractors use a Wunderbag™ in the HEPA Vacuum to extend the life of the more valuable HEPA filter. The Dustless HEPA Wet/Dry Vacuum gives you a distinct advantage by enabling you to switch from dry to wet operation without worrying about getting the valuable HEPA filter wet. A protective baffle/wall inside the canister, protects the HEPA filter from water at all times. The Wunderbag™ also retains its strength when wet, unlike other bag pre-filters, which is a huge advantage when switching between wet and dry operation.

- Powerful 23,000 RPM 11.5 amp electric motor
- Quiet operation, only 81 decibels
- 16 gallon capacity
- High impact tank for years of trouble free use
- Patented filter system provides three layers of filtration
- Optional micro pre-filter captures down to .5 microns
- Clean filters without opening canister
- Filters may be cleaned without removing the lid
- No need to change the filter when switching from a dry to wet (the filters never get wet).
- Does not cough dust when Wet/ Dry Vacuum is turned on
- Primary and secondary filters are machine washable synthetic fabric
- Tools store easily on the Wet/Dry Vacuum
- Suction hose can be used for draining tank
- Certified HEPA vacuum model available



#VD0810



Omega Glove Bag Vacuum - #VO0100

Excellent portable choice for hazardous particulate cleanup.

The Omega Abatement 1 Gallon HEPA dry particulate vacuum is made from high impact Starex flame retardant polymer for durability and long life. It also features over-heat protection. Filtration - A self contained HEPA filter cartridge for lead dust, mold spores, etc., reduces the risk of particle dispersion. The cartridge filter makes filter changes easy, clean, and safe. Powerful and Quiet - Get the job done quickly and quietly! 16" flexible wand is pliable and will fit into hard to reach places

- True HEPA Filter
- Portable
- Hose and Filter Plugs for Safety
- Powerful 1,000 Hour Motor
- Quiet
- HEPA Efficiency: 99.97% @ .3 micron
- ULPA Efficiency: 99.99% @ .12 micron

VO0101	Replacement HEPA Filter
--------	-------------------------



ACCESSORIES SOLD SEPARATELY

#VO0100

CHEMICALS

Mastic Removers

- ◆ Fast Acting & Economical
- ◆ Rise Well
- ◆ Low Evaporation
- ◆ Increased Coverage
- ◆ Additional Activators
- ◆ CARB/OTC COMPLIANCE

POWER CHEM
MASTIC & ADHESIVE REMOVERS

MANUFACTURER SAFETY DATA SHEETS (MSDS) ARE AVAILABLE ON OUR WEBSITE AT WWW.THESAFETYHOUSE.COM



#CHM3250

**PowerChem 325
Low Odor Mastic Remover**

Our most popular mastic remover... fast acting, high performance, low odor and priced right. Designed for quick removal of asphaltic floor tile mastics, spray adhesives and glues.



#CHM3350

**PowerChem 335
Low Odor Plus Mastic Remover**

More powerful and faster acting than our 325 Low Odor. Designed for quick removal of asphaltic floor tile mastics, spray adhesives and glues.



#CHM3750

**PowerChem 375
No Odor Mastic Remover**

Use in occupied areas where chemical smells are a concern. Dissolves most floor tile mastics, spray adhesives and glues and emulsifies upon rinsing to aid in its removal.



#CHM3950

**PowerChem 395
Extreme Mastic Remover**

Our strongest mastic remover. Liquifies mastic in minutes. Perfect for a demolition job. Only use in unoccupied areas where smells are not a concern.



#CHM3200

**PowerChem Soy 320
Mastic Remover**

Powerful, natural based adhesive remover with a high flash point. More aggressive and lower evaporation rate than other soy product on the market... Bean-e-Doo...



#CHM3500

**PowerChem Citrus Blend
350 Mastic Remover**

Fast-acting, power of citrus. Combines affordability, high solvency and fresh scent. Highly effective on mastics, spray adhesives, oils, tars and asphalts. Emulsifies upon rinsing.

ALSO AVAILABLE IN 55 GAL. DRUMS



All of theSafetyhouse.com's powerful mastic removers are available in 55 gallon drums. Makes large scale projects easier to do because of the convenience of the quantity and the cost and time savings associated with purchasing a drum compared to the 5 gallon size.

#CHM3105	PowerChem 310 Carpet Glue Remover
#CHM3255	PowerChem 325 Low Odor Mastic Remover
#CHM3355	PowerChem 335 Low Odor Plus Mastic Remover
#CHM3755	PowerChem 375 No Odor Mastic Remover
#CHM3955	PowerChem 395 Extreme Mastic Remover
#CHM3205	PowerChem 320 Soy Mastic Remover
#CHM3505	PowerChem 350 Citrus Blend Mastic Remover

ADHESIVE
REMOVER



#CHM3100

**PowerChem 310
Carpet Glue
Remover**

Specifically design for quickly removing adhesives from concrete, terrazzo, ceramic and vinyl tile or wood substrates. Softens adhesive for easy scraping.

Pt#	Odor	Flash Point	Coverage (sq ft/ gal)
325	Low Odor	>160F°	75-100
335	Low Odor Plus	>160F°	75-100
350	Mild Citrus Odor	144F°	100-120
375	Odorless	>200F°	75-100
395	High Odor	>150F°	120-150
310	Mild	Water Based	75-125
320	Low	295F°	125-200

CHEMICALS

Asbestos Encapsulant

POWER CHEM
ENCAPSULANTS

PowerChem Asbestos Encapsulants help create an airtight enclosure sealant or film that will prevent fibers from becoming airborne and creating a potential health hazard.



#CHE0900C

**PowerChem Clear
Lockdown**

- Dries Clean
- Economical
- Ready to use

900C Lockcoat, Penetrating Encapsulant & Lockdown.



#CHE0900W

**PowerChem White
Lockdown**

- Dries White
- Economical
- Ready to use

900W Lockcoat, Penetrating Encapsulant & Lockdown.



#CHE1000

**PowerChem 1000 Topcoat
Post Removal Bridging**

- Dries White

Premium quality, POST-REMOVAL encapsulant and lockdown with a high coverage rate and the lowest "in-use" cost in the industry. It effectively binds any residual fibers to all abated surface.



#CHM0199

**PowerChem 2000
Wetting Agent**

Fast penetrating wetting agent that deeply saturates asbestos fibers preventings water from evaporating, keeping the asbestos material wetter for a longer period of time.

Greatly reduces the chance of asbestos fibers in the air and increases the safety of the individual removing the asbestos



#CHE3000

**PowerChem Citra Solv 3000
Hydrocarbon Detergent
Degreaser Concentrate**

Fact Acting, Fresh Scent and Greater Coverage. For general cleaning and deodorizing.



#CHC0222

**PowerChem 222
Heavy Duty Cleaner**

PowerChem Heavy Duty Cleaner, Concentrated Economical

Absorbency Products to help in the cleanup with these Mastic and Adhesive products are on page 5.



Microban® Disinfectant Spray Plus

Protects against germs and odors on virtually any surface.

Microban's antimicrobial action kills allergy and disease-causing germs, bacteria, fungi, mold, and mildew. Suitable for use on carpets, upholstery and mattresses, Microban Disinfectant Spray Plus is used for decontamination applications including sewage backups, removal of carcasses, and more.

- Pest Control Service
- Movie booths
- Odor Control Service
- Refuse trucks
- Veterinaries
- Trash Chutes and Garbage
- Rooms
- Waste Compactors
- Carpet Cleaning Service
- Condensation collection & Drainage areas

Microban® Disinfectant Spray Plus Fragrance Free

Ideal for treating wherever a fragrance-free disinfectant is required.

Fragrance Free Disinfectant Spray Plus is a bacteriostat, fungistat, and deodorizer. It's the one product that's right for multiple applications – water damage restoration, mold remediation and even for use in HVAC systems.

This fragrance-free formulation is ideal for use in HVAC ducting or wherever the use of the scented version is inappropriate. Suitable for use on carpets, upholstery and mattresses, used for decontamination applications including sewage backups, removal of carcasses, and more.

- Pest Control Service
- Movie booths
- Odor Control Service
- Refuse trucks
- Veterinaries
- Trash Chutes and Garbage
- Rooms
- Waste Compactors
- Carpet Cleaning Service
- Condensation collection & Drainage areas

Microban® Germicidal Cleaner

A hospital grade disinfectant that cleans, disinfects and deodorizes in one labor-saving step.

Germicidal Cleaner is a powerful cleaner, fungicide, mildewstat, virucide, and deodorizer, and meets AOAC efficacy standards for hospital disinfectants. This product also inhibits the growth of mold and mildew and their odors.

- Kills H1N1 (Swine Flu)
- Use in hospitals, homes, medical, dental offices, daycare, nurseries, restaurants,
- Effective one-step fungicide
- Mold and Mildew
- Kills athlete's foot fungus

Microban® Germicidal Cleaner Concentrate

Hospital grade disinfectant in an economical concentrated form.

This economical heavy duty cleaner is a disinfectant, fungicide, virucide, sanitizer, mildewstat and deodorizer all in one. Microban Germicidal Cleaner Concentrate is effective against a broad spectrum of bacteria (including MRSA), inhibits the growth of mold and mildew, and deactivates viruses such as Influenza Type A (including H1N1 Swine Flu), Avian Influenza, HIV-1 and many others.

- Kills H1N1 (Swine Flu)
- Use in hospitals, homes, medical, dental offices, daycare, nurseries,
- Effective one-step fungicide
- Mold and Mildew
- Kills athlete's foot fungus

Microban® X-580 Institutional Spray Plus

Water-based bactericide, fungicide, deodorant, and insecticide in one unique formulation.

Just one application of Microban X-580 kills insects, mold, mildew and bacteria odors. It uses a naturally derived botanical insecticidal ingredient and is registered for use on mattresses and soft surfaces, so it's perfect for combating bed bugs. X-580 is also suitable for many decontamination applications including sewage backups, removal of carcasses, and more.

- Kills Insects: Fleas, Ticks, Lice, Bedbugs, Mites, roaches
- Kills Fungi: black mold
- Viruses: Infuleza A2, Herpes simplex2
- Kills Bacteria: Straphylococcus aureus, albus, Most gram-positive and gram-negative bacteria



Globally, Foster® brand products provide advanced coating solutions for the industrial, commercial and residential construction and maintenance markets, with substantiated proven performance.

- Kills odor causing bacteria
- Inhibits growth of mold and mildew.
- KILLS HIV-1 AND HBV AND HCV on pre-cleaned environmental surfaces.
- Water damage restoration against odor-causing bacteria and fungi for home, institutional, industrial, and hospital use.

Foster® 40-80

First Defense™

Foster First Defense™ 40-80 is an EPA Registered formulation, a full strength disinfectant, and comes in a convenient ready-to-use dilution. Foster First Defense 40-80 has been evaluated in the presence of 6% serum by the AOAC Use-Dilution test and found to be effective against broad spectrum of gram-negative and gram-positive organisms.

- Excellent mold resistance even in wet test conditions.
- Tough, elastic, decorative finish that allows for movement without splitting to create lodging places
- for bacteria.
- The first and only EPA registered coating for use in HVAC systems with over 10 years of proven effectiveness!

Foster® 40-20™ Fungicidal Protective Coating

Test results prove superior protection against competition

Industry's leading EPA registered, antimicrobial coating for HVAC duct systems with ten years of proven effectiveness. It is formulated to effectively prevent the spread of mold and odor causing bacteria on its surface in areas, such as walls, ceilings, pipes and interior/exterior surfaces of HVAC duct systems.

- The ideal product for residential and commercial mold remediation projects
- The only EPA registered product that kills residual mold and mildew and protects
- surfaces from mold re-growth
- Low viscosity, high solids formulation provides extended coverage with excellent hiding properties in one, easy application.

Foster® 40-25™ Full Defense™

High coverage, breathable coating! Shields against mold and mildew!

Foster® Full Defense™ is the only EPA registered coating that kills residual mold and mildew and protects surfaces from mold re-growth. Its high coverage, breathable coating is designed to provide long term fungicidal protection in residential and commercial mold remediation projects.

- High-solids, low viscosity and low-odor formulation
- Use in high humidity areas prone to mold growth
- Contains EPA registered antimicrobial
- additives that protect its surface from the growth of odor causing bacteria, mold and mildew.
- Apply to high humidity areas.

Foster® 40-50™ Interior Defense™ Mold Resistant Coating

Protects surfaces from the growth of odor causing bacteria, mold, and mildew.

Foster® 40-50™ Mold Resistant Coating is the highest quality, low viscosity mold resistant coating on the market today. It also provides ideal protection of its surface in areas prone to mold growth. A tough, water resistant coating for use in areas prone to the growth of mold.

- Water resistant finish is flexible an crack resistant
- Formulate with EPA registered additives to provide protection against mold and
- mildew growth.
- Apply to wood framing, drywall and building materials found in wall cavities, crawl spaces, and other places prone to mold growth

Foster® 40-51™ Sheer Defense™ Mold Resistant Clear Sealer

Dries clear – ideal when underlying substrates need to remain visible.

Foster® 40-51™ Mold Resistant Clear Coat has a low viscosity, which allows it to be easily applied by hand or with virtually any type of airless spray system. It works well on a wide variety of surfaces: wood, painted surfaces, wall board, masonry surfaces, metal.

CHEMICALS

Cleaning Solutions



Sentinel® 24-7 Mold & Mildew Resistant Coatings

Inhibit the growth of stain and odor causing microorganisms such as mold & mildew on the dried coatings surface. Contains Microban® antimicrobial product protection.

24-7 Clear Mold & Mildew Resistant Coating

For those surfaces that require a primer, 24-7 is self-priming and a light precoat will prime these surfaces. 5 Gal.

24-7 Interior Mold & Mildew Resistant Coating

Designed to be used on properly prepared woodwork, doors, walls, ceilings, plaster, sheetrock, concrete and other interior surfaces, including HVAC ducting. Not intended for exterior usage. 5 Gal.

24-7 White Mold & Mildew Resistant Coating

For those surfaces that require a primer, 24-7 is self-priming and a light precoat will prime these surfaces. 5 Gal.

24-7 CC Mold & Mildew Resistant Construction Coating

High-quality, acrylic-based product, applied by brush, roller or sprayer and dries clear. 10-year limited warranty. Meets LEED® IEQ Credit 4.2 low-emission materials; paints and coatings. 5 Gal.

CHE2470C	24-7 Clear
CHE2190W	24-7 Interior
CHE2470W	24-7 White
CHE0247-C	24-7 Construction

ET-28 Envirotowels

SENTINEL ENVIROTOWELS represent the latest technology in cleaning and removing lead dust. Towels are designed for pre-cleaning prior to removal or encasement of lead and for final clean-up following lead abatement. Each towel is ready-to-use and presoaked with a solution of Sentinel 805 Envirowash, a lead specific material that meets HUD Guidelines, & Maryland Procedures. Envirotowels meet USEPA Title 40, Part 745 definitions and work practice standards for "wet disposable cleaning cloth" and "dry disposable cleaning cloths." (RRP Rule)

CHD0111	ET-28 contains 28 ct. - 12" x 18" towels
CHD0112	ET-90 contains 90 ct. - 8" x 12" towels
CHD0110	ET-290 pails have 290 ct. - 9" x 14" towels

Simple Green All-Purpose Cleaner

Simple Green is one of the most versatile all-purpose cleaners you can buy! It's non-toxic and biodegradable, without harmful bleach. Because it is a concentrate, you can custom dilute Simple Green to clean just about anything dirty. It replaces most cleaners, detergents, degreasers and laundry pre-soaks you're using now!

CHC2000	Simple Green All-Purpose Cleaner 1 Gallon
CHC2001	Simple Green All-Purpose Cleaner 55 Gallon



Sporicidin® Disinfectant

Sporicidin® products are an EPA registered and FDA compliant disinfectant recommended for use in hospitals, and medical, dental, and veterinary clinics. This OSHA compliant disinfectant is ideal for cleaning/restoration and IAQ applications, such as mold, water, fire, and sewage remediation, air duct cleaning, trauma clean-up, misting and dust suppression. The Sporicidin brand has been trusted by healthcare professionals and used in hospitals since 1978; protect yourself and your employees by using Sporicidin Disinfectant Solution to clean, deodorize, and disinfect your equipment, target surfaces, and personal protective equipment (PPE).



CHD1284	Sporicidin® Disinfectant 1 Gallon
CHD1283	Sporicidin® Disinfectant 22 oz. Pump Spray Bottle
CHD1285	Sporicidin® Enzyme Mold Cleaner
CHD1282	Sporicidin® Disinfectant Towelletes



NEW!

Sporicidin® Releases NEW Mold Resistant Coating

Contec's Sporicidin brand is releasing Mold Resistant Coatings and Mold and Mildew Stain Remover. The addition of these mold-proof coatings, when used in conjunction with Sporicidin® cleaners and disinfectants, provides a three-step "Clean-Kill-Seal" approach to microbial contamination cleanup and prevention.

CHE1284	Mold Resistant Coatings and Mold and Mildew Stain Remover
---------	---

#RT0100

Soot Sponge

Professional Soot And Dirt Sponge Removes soot, dirt, and dust from any surface. Cleans without water. Can be used on walls, wallpaper, ceilings, acoustic tile, oil paintings, lamp and window shades, brick, suede, felt, burlap, venetian blinds, drapes, and books. Removes pet hair from upholstery.

- 8"x3"x1 1/2"
- 36/case (Indiv. Wrapped)



Peel Away® 1

Removes Up To 32 Layers Of Paint In A Single Application

NO FUMES AND NO FLAMMABLE SOLVENTS. The System includes a paste that is spread or sprayed over the surface to be stripped and then covered with a fibrous laminated paper with controls evaporation, and is left on until all of the paint is dissolved for easy collection of the waste. The laminated paper is then removed with the bulk of the paste and paint adhering to it and the stripped surface is washed clean and neutralized. **PEEL AWAY® 1** works best when oil/lead based paint is the prime coating on the surface. Coverage is 15-20 sq. feet per gallon.

Peel Away Neutralizer now included.

PEEL AWAY® 1 is especially suited for the removal of lead based paint.



#CHS0500/ 5 gal.

Peel Away® 7

Specifically Formulated To Remove High Strength Chemically Resistant Coatings

Environmentally safe paint remover for resistant coatings i.e. epoxies, urethanes, chlorinated rubber, elastomeric, aluminum, vinyl's, mastics automobile paints and marine coatings. There is NO methylene chloride or caustic or any other flammable solvent in the product. **PEEL AWAY® 7** has been used on large industrial applications to remove epoxy and urethane coats from metal and masonry surfaces including marine and aerospace. PEEL AWAY® 7 can be used with or without the PEEL AWAY® paper.



#CHS0525

Peel Away® ST-1

Specifically Formulated To Remove Lead Based Paint from Steel Structures

PEEL AWAY® ST-1 has been specifically formulated for removal of lead based paint from steel structures such as tanks, bridges and structural members. PEEL AWAY® ST-1 is similar to PEEL AWAY® 1 however its self-sealing characteristic allows it to continue working in a moist environment without requiring any PEEL AWAY® cover. Coverage is 20 sq. feet per gallon.



#CHS0501

Peel Away® Lead Stop

Creates a tough surface to withstand impact and abrasion.

Lead Stop protects the existing lead painted surfaces from further deterioration. It has been specifically formulated to resist cracking from impact, surface movement and age. Lead Stop will provide long-term protection from the dangers of lead paint.

- Easy to Use: Apply, Let dry and Paint Over Lead Based Paint.
- Encapsulating Lead Paint Protects Children
- Eliminates Danger of Old Lead Paint Peeling
- Seals and Effectively Blocks In Lead Paint
- Lead Paint Encapsulation Seal of Approval by D.L. Litter Laboratories
- Long Lasting Barrier Over Lead Based Paints



#CHE0560

Peel Away® Paper

This paint removal cover can be used with all Peel Away paint removal products to cover paint removers.

Peel Away Paper is a fiber laminated paper that protects passersby from accidental contact and reduces evaporation of the remover. The peel away paper enhances and extends dwell time. This product covers approximately 33 square feet.



#CHS0535

CHEMICALS

Paint Removers



STRIP AWAY 15 LAYERS OF PAINT IN 1 APPLICATION!

Smart Strip™ Paint Remover

Smart Strip™ is a revolutionary paint remover that is safe for the user, the substrate and the environment. 100% biodegradable, water-based paint stripper effective for removing multiple layers of architectural and industrial coatings from virtually all interior/ exterior surfaces - wood, brick, metal, concrete, stone, plaster, fiberglass, etc. and does not contain methylene chloride, any caustics, or toxic chemicals. Odor free, safe for the environment. Exceptional for the safe removal of lead based paint.



CHS0540	Smart Strip-1 qt.
CHS0541	Smart Strip-1 gal.

Smart Strip™ Aerosol Acrylic Paint Stripper

Effective acrylic paint remover that does not contain toxic chemicals, methylene chloride, or dangerous caustics. It is 100% biodegradable and safe. Will not burn your skin and is a water-based formula that works to removes multiple layers of all kinds of paints and coatings in one single application.



#CHS0542



Smart Strip™ Paint Remover Pro

SMART STRIP PRO is a professional strength paint remover that effectively removes Architectural, Industrial and Lead Paints. It is formulated without methylene chloride and is non-carcinogenic, non-caustic and non-flammable. Superior performance professionals require when removing even the most difficult coatings. This water-based stripper effectively removes multiple coats of varnish, oil-based, water-based, acrylic, urethane, epoxy, elastomeric and lead paints from any interior or exterior surface - wood, brick, stone, concrete, plaster, metal, fiberglass, plastic, glass, etc. Because it is a paste, it is easily applied by brush, roller or conventional airless spray and is formulated to remain wet and effective without the use of Peel Away Paper. (For extended dwell times, Peel Away Paper may be necessary, particularly on Lead Abatement and Industrial projects.) **Available only in 5 gallons.**



#CHS0530



Watch Dog™ WIPE OUT Porous Surface Graffiti Remover

WIPE OUT Porous Surface Graffiti Remover - is a biodegradable graffiti remover specifically designed to remove heavy graffiti from all "porous" surfaces i.e. brick, mortar, cement, stucco, pavers and natural stone surfaces such as granite, marble, sandstone or brownstone. Its non-drip formula clings to the surface for fast maximum speed of removal.



CGR0501	2 quart
CGR0502	1 gallon
CGR0503	5 gallon

Watch Dog™ Lift Away Aerosol Graffiti Remover 12oz

Liftaway is a citrus based formulation that is biodegradable and environmentally safe. It has been designed specifically to simplify the graffiti removal process. This product will remove most types of graffiti and many stains from masonry, concrete, glass, terrazzo, metal and other surfaces usually in a fifteen-minute time frame. Coverage is 60-70 sq. feet per gallon.



#CGR0504

LEAD / MOLD

Air Filtration - Dehumidifiers



Phoenix Guardian HEPA System™

- 2-Speed operation (1400-900 CFM)
- Multiple ducting options
- Built-in manometer
- Only 12 Amps
- Stainless steel cabinet
- Optional fourth stage carbon filter
- Wheeled cart design

Phoenix R175 LGR Dehumidifier

Compact Design, Big Performance!

The Phoenix R175 combines our Proven Performance into a compact, state of the art, roto-mold design. The R175 reflects all the ingenuity and engineering expertise that is expected in Phoenix name-brand equipment. Efficient design results in the R175 removing 30% more water (92 pints at AHAM) than competitive LGR units of similar size, while drawing only 6.1 Amps of power. The Phoenix reputation for performance is continued in the R175's excellent grain depression and operating range.

Phoenix R200 LGR Dehumidifier

Extra Large Capacity in a Small Package

The Phoenix R200 50Hz is a compact, energy efficient LGR dehumidifier that removes over 52 liters per day (AHAM) while drawing only 3.7 amps of electricity. The R200 50Hz outperforms the larger competitive dehumidifiers by removing more water, providing larger grain depression and consuming less power. The proven LGR design is surrounded by a durable roto-molded high impact plastic to create a dehumidifier that is smaller and lighter than competitive units.

Phoenix 200 MAX LGR Dehumidifier

The Phoenix 200 MAX is one of the most effective and versatile drying devices available on the market today.

The 200 MAX removes more water and has more grain depression than other refrigerant dehumidifiers, even though it only requires 7.4 Amps of electricity. When you combine this performance with the multiple ducting and air filtration options, it is easy to understand why the Phoenix 200 MAX is considered the ultimate in low grain refrigerant dehumidification.

#AM0700



#AM0711



#AM0200



#AM0002



Model	Phoenix Guardian HEPA System
Part #	AM0700
Blower High	1400 CFM* w/o external duct
Blower Low	900 CFM* w/o external duct
Power	12 Amps, 110-120 VAC, Grounded
Dimensions	25" x 39" x 25"
Weight	121 Lbs.
Filters 1st Stage	1" Spun Polyester 24" x 24"
Filters 2nd Stage	2" Pleated Media 24" x 24"
Filters 3rd Stage	12" V-bank HEPA 24" x 24"
Filters 4th Stage (optional)	2" Carbon and Potassium Permanganate

Model	Phoenix R175 LGR	Phoenix R200	Phoenix 200 MAX
Part #	AM0711	AM0200	AM0002
Power	6.3 Amps, 110-120 VAC, Grounded	3.7 amps, 230 VAC, Grounde	7.4 Amps; 851 watts
Water Removal	92 pints/day @ AHAM (80°F, 60%) 21 gal/day maximum @ saturation	52 liters/day @ AHAM (26.7°C, 60%) 83 liters/day maximum @ saturatio	128 pints/day @ AHAM (80°F, 60%) 240 pints/day @ saturation 30 gal/day maximum @ saturation
Refrigerant Charge	1 lb, 8 oz. R410a	.74 kg, R410	1 lbs., 8 oz. R410a
Blower	230 CFM	442 m /hr without external ductin	290 CFM Internal Condensate Pump with 20' lift, 30' vinyl hose
Operating Range	33°F to 105°F	1°C to 40°	33°F to 105°F
Filters	12" x 12" x 1" Pleated Media MERV-7	30cm x 30cm x 2.5cm Pleated Media MERV-1	16" x 20" Standard 2" Pleated Media 65% MERV-11 Optional 4" Mini-Pleat Media 95% MERV-14 Optional 2" Pleated Media 30% MERV-8
Duct Options	Intake – 12" Flex-Duct Supply – 10" Lay-Flat	Intake – 30cm Flex-Duct Outlet – 25cm Lay-Flat	Intake – 12" Flex-Duct Supply – 10" Lay-Flat
Warranty		Five years; 1st year 100% of Parts and Labor 2nd-5th year 100% of sealed refrigeration system part	Five years; First year 100% of Parts and Labor, Second-fifth year 100% of Parts of sealed refrigeration system.
Dimensions Cabinet w/Cart	20" x 33-½" x 20"	Width 51cm, Depth 51cm, Height 85cm	20" x 40" x 18-¼" 24-¼" x 40" x 21-¾"
Weight	105 lbs.	47kg	131 Lbs.

LEAD / MOLD

Air Filtration - Dehumidifiers



Phoenix 200 HT LGR Dehumidifier

The Phoenix 200 HT is the ultimate in low grain refrigerant dehumidification and high temperature performance.

The 200 HT is the first LGR dehumidifier designed to maintain maximum water removal capacity through ambient conditions up to 120°F.

The Phoenix 200 HT, featuring its patent-pending technology, not only allows superior performance and greater CFMs in high ambient temperatures, but also exceeds the performance and efficiency of the original Phoenix 200 MAX under all conditions.

#AM0710



Phoenix 270 HTX Dehumidifier

The Phoenix 270HTx is one of the most effective and versatile drying devices available.

The Phoenix 270HTx features more water removal (161 pints per day@AHAM) and higher grain depression than other refrigerant dehumidifiers, while drawing only 8.9 Amps of electricity.

The 270HTx features Phoenix's patented bypass design, which is now enhanced to compensate for temperature automatically. By sensing and adjusting to temperature changes in the drying chamber, the 270HTx maximizes water removal over an extended operating range without the need for manual adjustments.

#AM0713




Phoenix 300 LGR Dehumidifier

The Phoenix 300 Dehumidifier is designed to maximize the water removal capacity from a single 110-V, 15-amp circuit.

The multiple ducting options on the Phoenix 300 allows for ducting both the intake air and the filtered and dehumidified supply air. This makes it possible to easily combine the Phoenix 300 with a HEPA air scrubber, air conditioner or desiccant dehumidifier.

#AM0712



Model	Phoenix 200 HT	Phoenix 270 HTX	Phoenix 300 LGR
Part #	AM0710	AM0713	AM0712
Power	7.5 Amps, 110-120 VAC, Grounded	8.9 Amps, 110-120 VAC, Grounded	12 Amps, 115 VAC, Grounded
Water Removal	140 pints/day @ AHAM (80°F, 60%) 260 pints/day @ saturation 32 gal/day maximum @ saturation	161 pints/day @ AHAM (80°F, 60%) 34 gal/day maximum @ saturation	176 pints/day @ AHAM 80°F, 60% RH 304 pints/day maximum @ 90°F, 90% RH
Refrigerant Charge		1 lb., 10 oz. R-410A	
Blower	335 CFM	380 CFM Internal Condensate Pump with 20' lift, 30' vinyl hose	540 CFM Internal Condensate Pump with 20' lift, 30' vinyl hose
Operating Range	33°F to 125°F	33°F to 125°F	33°F to 110°F
Filters	16" x 20" x 2" Pleated Media MERV-11	16" x 20" x 2" Pleated Media MERV-11	
Duct Options	Intake – 12" Flex-Duct Supply – 10" Lay-Flat	Intake – 12" Flex-Duct Outlet – 10" Lay-Flat	
Warranty		Five years; 1st year 100% of Parts and Labor 2nd-5th year 100% of sealed refrigeration system parts.	
Dimensions Cabinet w/Cart	20-¼" x 40" x 21-¾"	20" x 40" x 23"	24" x 45" x 20" 29" x 46" x 25"
Weight	138 lbs.	130 lbs.	175 lbs.

LEAD / MOLD

Air Filtration - Dehumidifiers



Evolution® LGR
Low Grain Refrigerant Dehumidifier

The Evolution packs state-of-the-art low grain refrigerant (LGR) technology into a compact design. Built for today's trained restoration professional, the Evolution also encompasses the most user-friendly features. So versatile and easy to handle that you'll want to use it on every job!

- LGR technology boosts effective operating range
- Compact size – only 92 pounds
- Draws only 5 amps – but removes up to 70 pints/day
- New, rigid fold-down handle

DrizAir® 1200
The Classic Refrigerant Dehumidifier

The rotomolded polyethylene housing is dent resistant, offers superior durability, and helps to protect furnishings when in use. Stack up to two units high for storage. A rigid handle and semi-pneumatic wheels ensure easy transport and maneuverability.

- Removes up to 15 gallons a day
- Super convenient size
- Hot-gas bypass for fast defrost
- Rugged rotomolded housing – stackable!
- Electronic touch-pad controls

EnviroBoss™ EB1400
Take Charge of Any Environment.

Now you can effectively tackle temperature and humidity problems with a single unit: the EB1400. Use it for cooling, dehumidifying, supplemental heat or air exchange. With interchangeable 8 in. ducts, the EB1400 makes

- Take charge of any environment.
- 1 ton cooling effectiveness with 470 CFM
- Dehumidification, focused heating and air exchange.
- Ductable for spot cooling, directing conditioned air or warm air

DrizAir® LGR 2000
Low Grain Refrigerant Dehumidifier

Remove a lot of water and move less machine. Drawing on 20 years of design experience, Dri-Eaz utilized low grain refrigerant technology to pack more drying power into a convenient portable unit

- Up to 28 gallons a day
- Only 132 pounds
- Low grain refrigerant with patented heat pipe technology
- Rugged rotomolded housing
- Electronic touch-pad controls
- Semi-pneumatic wheels

DrizAir® LGR 2400
Powerful LGR performance in a portable package

For maximum water removal on commercial and residential water damage restoration, the DrizAir 2400 stands alone. It removes volumes of water in a wide variety of drying conditions. As a low grain refrigerant dehumidifier, the 2400 excels in environments with low specific humidity. You can start and finish the entire job with a DrizAir 2400.

- Removes up to 30 gallons a day
- Low grain refrigerant with patented heat pipe technology
- Rugged rotomolded housing
- Intelligent touch-pad controls
- Hot-gas bypass for fast defrost

LEAD / MOLD

Air Filtration - Fans, Air Movers



- Low amps - 1.5, 2.0 and 3 amp speeds
- Daisy-chain up to 8 units
- (on low speed) using convenient onboard outlet
- Run 200' w/o an extension cord

Jet CXV TurboDryer®
Streamlined for high velocity airflow, fast drying and cleanup.

Aerodynamically designed for the highest velocity airflow at 3100 tested CFM – the Jet's built-in angles maximize laminar airflow along the floor. Its focused vanes channel extra velocity in all the right places and the unit's molded design offsets from the wall for optimizing the fastest wall and floor drying.

- Very low amp draw
- Six position versatility for handling a wide range of applications
- Dry structures fast with 1800 actual CFM

Ace TurboDryer®
Six ways to dry

Looking for an air mover that offers six different positions to help you tackle the most difficult drying challenges? Looking for the most CFM per circuit of any air mover on the market? Look no further: it's called the Ace!

- Underside drying vent
- Built-in Microban® antimicrobial product protection to inhibit growth of odor and stain causing bacteria, mold and mildew in this machine.

Sahara E TurboDryer®
Get the durability and reliability of the Sahara at an economical price

With a .25 hp motor and 1-speed operation, the Sahara E Turbodyrer® keeps drying simple. It stacks for storage and disassembles easily for cleaning.

- Underside drying vent
- Built-in Microban® antimicrobial product protection
- Quick disassembly for cleaning
- Easy-grip handle
- Stackable for storage

Sahara HD TurboDryer®
When you need maximum power

Get the CFM and static pressure needed to power through specialty drying challenges. This durable and reliable performer works especially well in applications that require stronger static pressure – such as drying in walls, under cabinets and in crawlspaces.

- Lower amp draw
- Daisy-chain capability with outlet and circuit breaker
- Underside drying vent for drying under the airmover
- Easy-grip handle

Sahara Pro X3 TurboDryer®
When efficiency is needed!

This new lower amp, three-speed air mover offers everything restorers need for performance and versatility, plus legendary Dri-Eaz durability and reliability.

F600 Blower Fan



Three-Speed Blower Fans are ideal for floor drying in a variety of environments.

Blower fans are made using molded polyethylene housing for lasting durability and strength. 1/2 HP motor offers powerful and efficient operation, with versatile operation up to 2500CFM. Includes three-position switch with simple graphics for selecting operating speeds. Operates in 4 positions. Built-in cord wrap. Total weight is 32 lbs..

Model	Evolution® LGR	DrizAir® 1200	EnviroBoss™ EB1400	DrizAir® LGR 2000	DrizAir® LGR 2400
Part #	AM0012	AM0015	AM0016	AM0013	AM0014
Type	Low Grain Refrigerant	Standard Refrigerant		Low Grain Refrigerant	Low Grain Refrigerant
Power	115 V, 5 Amps	115V, 6.4 Amps	11.7 Amps	115V 8 Amps	115V , 11 Amps
Water Removal	119.8 pints/day Max (90°F/90% RH) 70 pints/day AHAM (80°F/60% RH)	132.3 pints/day Max (90°F/90% RH) 64 pints/day AHAM (80°F/60% RH)	108 pints/day (@ 95°F/60% RH)	172 pints/day Max (90°F/90% RH) 110 pints/day AHAM (80°F/60% RH)	211.6 pints/day Max (90°F/90% RH) 140 pints/day AHAM (80°F/60% RH)
Water Pump-Out	Centrifugal	Centrifugal		Centrifugal	Centrifugal
Blower	160 CFM	227 CFM	470 CFM	320 CFM	365 CFM
Operating Range	33° – 100°F	33°–100°F		33° - 100°F	33°–100°F
Filters	High Air Flow	High Airflow Filters	3M HAF Filter	High Airflow Filters	High Airflow Filters
Drain Hose Length	40'	40 ft		40'	40'
Dimensions	33.5" x 20.7" x 20.7"	32" x 20" x 19.5"	49.5" x 27.25" x 33.5"	40.5" x 24" x 22.5"	47" x 24" x 27"
Weight	92 lbs.	80 lbs.	195 lbs.	132 lbs.	162 lbs.
Defrost Type	Hot-gas bypas	Hot-gas bypass		Hot-gas bypass	Hot-gas bypass
Compressor Type	5,595 Rotary	6,670 BTU Rotary		10,300 BTU Rotary	13,315 BTU Rotary

Model	DriEaz Jet CXV Turbodyrer	DriEaz Ace Turbodyrer	DriEaz Sahara E Turbodyrer	DriEaz Sahara HD Turbodyrer	DriEaz Pro X3 Turbodyrer	Pullman Holt 3 Speed Blower
Part #	AM0180	AM0181	AM0182	AM0183	AM0184	AM0111
Dimensions	25.9" x 18.9"	24" x 20.3" x 19"	18.8" x 17" x 18.3"	18.8" x 17" x 18.3"	18.8" x 17" x 18.3"	19" H x 17" x 19"D
Power	1.5, 2.0, 3.0 Amps, 115V	1.5 Amps	7.2 Amps	10 Amps	4 Amps	2.4 – 4
Speed	Speed Switch	2-speed	One	Three	Three	Three
Operating Positions	2	6	3	3	3	
Motor	.25 HP	.25 HP	.25 HP	1 HP	.33 HP	.5 HP
Weight	35 lbs.	33 lbs.	24 lbs.	36 lbs.	27 lbs.	29 lbs.
Cord Length	25 ft	25 ft	15 ft	25 ft	25 ft	23 ft
Stackable	Yes	Yes	Yes	Yes	Yes	
Airflow per amp			129 CFM	145 CFM	235 CFM	
Tested airflow per 15 amp circuit			926 CFM	1454 CFM	2817 CFM	
Tested Velocity		1881 ft/min	2042 ft/min	3206 ft/min	2071 ft/min	
Rated Airflow			2250 CFM	3500 CFM	2700 CFM	2500 CFM

LEAD BASED PAINT HAZARD REDUCTION ACT OF 1992 - Title X passed in 2010

In 1992, Congress passed the Residential Lead Based Paint Hazard Reduction Act. Currently, the act is enforced by the Department of Housing and Urban Development (HUD) and the Environmental Protection Agency (EPA). In brief, the act set out to regulate property sales and leases involving properties built prior to 1978, which would contain lead based paint in most instances.

The EPA and the HUD initially worked towards assisting violating companies and individuals, those that not did not adequately disclose the presence of lead based paint to tenants or purchasers, with maintaining compliance. This leeway period ended in early 1998, and since then, the EPA and HUD, working independently and in conjunction with one another, have conducted investigations of violators on a regular basis, often targeting rental companies in large urban areas.

In essence, a consumer has the right to know about potentially dangerous environments they are considering renting or purchasing. The act requires full disclosure of the nature of a property built before 1978, which means lead paint will most likely be present. Lead paint, especially in unborn children and young children, can cause elevated blood levels tantamount to lead poisoning.

IMPORTANT RULES AND REGULATIONS

NEW EPA RRP RULE (RENOVATION, REPAIR, AND PAINTING)

The RRP Program is a federal regulatory program affecting contractors, property managers, and others who disturb painted surfaces.

- It applies to residential houses, apartments, and child-occupied facilities such as schools and day-care centers built before 1978.
- It includes pre-renovation education requirements as well as training, certification, and work practice requirements.

Pre-renovation education requirements:

- Contractors, property managers, and others who perform renovations for compensation in residential houses, apartments, and child-occupied facilities built before 1978 are required to distribute a lead pamphlet before starting renovation work.

Training, certification, and work practice requirements:

- Firms are required to be certified, their employees must be trained (either as a certified renovator or on-the-job by a certified renovator) in use of lead-safe work practices, and lead-safe work practices that minimize occupants' exposure to lead hazards must be followed.
- Renovation is broadly defined as any activity that disturbs painted surfaces and includes most repair, remodeling, and maintenance activities, including window replacement.

For more information, go to the EPA's website at: <http://www.epa.gov>.



AIR SAMPLING PRODUCTS

PCM Cassette - #AS0202

PCM 25mm air sampling cassettes are designed and manufactured to meet all applicable NIOSH, OSHA, and EPA standards.

- Quality 0.8um MCE Filter Material
- Meets NIOSH 7400 specifications
- 2" Static Conductive Extension Cowl
- Preloaded - ready to use



TEM Cassette - #AS0203

TEM 37mm Air Sampling Cassette w/ MCE Filters are designed to meet all applicable NIOSH, OSHA and EPA air sampling standards.

- Preloaded, Ready to Use
- 3 Piece model suitable for lead sampling
- Polystyrene Housing, 2 or 3 piece
- Leak Free Design

Lead Cassette - #AS0210

Zefon 37mm Air Sampling Cassette w/ MCE Filters are designed to meet all applicable NIOSH, OSHA and EPA air sampling standards.

- Polystyrene Housing, 2 or 3 piece
- 3 Piece model suitable for lead sampling
- Leak Free Design
- Preloaded, Ready to Use



M2 Multi-Mold™ Cassette - #AS0252-5

The M2 is patented, two-sided sampling cassette for easier and more efficient use in the field and in the laboratory. This is the first cassette to provide sampling options to field personnel. Each cassette can be used to:

- Collect two different samples
- Collect two identical samples concurrently
- Collect one sample while using the other side as control

The M2 cassette is also the very first of its kind for laboratory personnel. It provides one-time preparation for two samples, pre-printed traverse marks on the collection side for standardized counting, and side-by-side comparison of samples under the microscope.



AS0252-5 Allegro M2 Multi-Mold Cassette-5Cassettes/box

AS0252-25 Allegro M2 Multi-Mold Cassette-25Cassettes/box

T-101 Jarless Sampling Pump - #AS0350S

Lightweight and low maintenance, this rotary vane sampler has a sampling range of 0-30 LPM and is an excellent resource for sampling asbestos (25mm cassettes), lead (37mm cassettes) and mold. This sampler is the best value in the market today, meets OSHA and AHERA standards and comes complete with six feet of vinyl tubing, inline filters, rubber feet, for stability, handle and built-in switch. Optional adjustment aluminum stand.

Weight 10 lbs..



#SG0103B

Smoke Test Kits

For qualitative fit testing of air purifying respirators, offers everything needed to meet OSHA's protocol for fit testing with smoke. Includes irritant smoke tubes, aspirator assembly, and record form in a protective carry pouch.


#SG0105 Replacement Smoke Tubes 10/pk.



#AS0199

Flow Meter

Allegro's flow meters are separate from the pump to allow the user to set the flow for more than one pump with the same meter. Features an expanded scale and includes necessary adapters for use with particular cassettes.



#AS0201L

BDX-II Air Sampling Pump

The Gilian BDX-II is an economical air sampling pump designed specifically for abatement and lead applications. It is a compact and rugged air sampling pump optimized for sample methods between 500 cc/min and 3000 cc/min. The BDX-II is powered by a rechargeable NiCd battery that provides up to 10 hours of operation on a single charge.

- 500-3000 cc/min
- Anti-tamper control covers
- Sealed internal components
- Rechargeable battery pack
- Easy calibration
- UL approved for operation in hazardous areas



For Your Convenience

LEAD ABATEMENT KIT

Helping to take the guess work out. No where else will you find a low cost all-in-one lead removal kit where all components are disposable after use. The lead abatement items within the kit are specified from the EPA Residential Lead-Based Paint Hazard Reduction Act of 1992--Title X passed in 2010.

Each kit is designed for one lead abatement job, so order multiple kits for multiple jobs and save on shipping costs. Or order individual replacement items, as needed.

DELUXE LEAD REMOVAL KIT - ITEM #AS0500-D



Assembled for your convenience and savings, the Lead / ASBESTOS Removal Kit removes the guesswork from what is needed for your next project. Included in the Deluxe Kit are:

- (1 ea.) Duffle Bag
- (1 ea.) MSA Half Face Mask
- (2 ea.) P100 Cartridges
- (1 ea.) Disposable ventilated protective goggles
- (2 ea.) Disposable Bags
- (1 ea.) Lead Check Swabs
- (4 ea.) Alcohol Wipes
- (1 pr.) Nitrile Gloves

- (2 pr.) Disposable Black Gloves (extra backup pair!)
- (1 ea.) Next Gen. Disposable Coveralls including head and feet covers
- (1 ea.) Scraper
- (1 ea.) Roll Lead Caution Tape
- (2 ea.) Yellow Lead Signs



Heavy Duty Canvas Duffle Bag to make transport to and from job site easier.

STANDARD LEAD REMOVAL KIT - ITEM #AS0500-S



The Standard Kit is packed in a nylon bag and includes the following items:

- (1 ea.) Nylon Bag
- (1 ea.) MSA Half Face Mask
- (2 ea.) P100 Cartridges
- (1 ea.) Disposable ventilated protective goggles
- (2 ea.) Disposable Bags
- (4 ea.) Alcohol Wipes
- (1 pr.) Nitrile Gloves

- (2 pr.) Disposable Black Gloves (extra backup pair!)
- (1 ea.) Next Gen. Disposable Coveralls including head and feet covers
- (1 ea.) Scraper
- (1 ea.) Roll Lead Caution Tape
- (2 ea.) Yellow Lead Signs



Standard Kit includes Nylon Travel Bag.

Below are some additional add-ons to think about when you purchase your lead removal kit.

These include the Hepa Dustless Vacuum and the Pullman Hold 390 Hepa Vacuum. Some important things to think about when spending the money on the proper HEPA vacuum cleaner equipment are if it would help you to pass the EPA RRP rule law and will it keep you and your employees healthy.

OPTIONAL ADD-ONS

Hepa U2930 Dustless Vacuum

This Wet Dry Vacuum is specifically designed for the fine dust created by grinding, sanding and sawing.



Pullman Holt 390 4 Gal. Hepa Vacuum

Powerful 4-gallon, dry only HEPA vacuum with exceptional stability, designed for professional cleaning,



5" Electric Floating Head Grinder

For use to remove or feather paint, pivoting for ease of use.



LEAD / MOLD

Detection & Abatement

#AS0100

Tri/Mon Manometer

Designed as a digital recording manometer for carefully tracking and displaying differential pressure information.

The TRI/MON is durable, lightweight and simple to operate. Turn it on, load the paper and go to work. It is as simple as that. Many more features to serve many different applications in environmental sites, clean rooms, laboratories and hospitals.

Features:

- Rugged 1/8" thick aluminum case
- Full width aluminum carrying handle, also doubles as tilt leg
- Brackets to hold power cord
- Uses plain paper
- Large bright red digital display
- Simple keypad selected functions
- Self calibrates on each start-up
- Available with circular chart recorder, remote alarm, or digital data download capability
- No separate or loose parts to lose
- "Smart" button for easy reset to factory operating parameters
- Special indicators to hi-lite systems functions
- Keypad lock to prevent tampering
- Stores 7 days of data in memory
- Operating temperature range 32' - 120°F
- Simple start-up. Just turn on and load paper.
- One year full parts and labor warranty

Specifications:

- Differential pressure range: +/- 0.22 " W.C.
- Transducer range: display output limited to 0.22" W.C. due to over-pressure sensing
- Over-pressure protected with auto valve closure if the pressure is greater than 0.22 inches of water
- Accuracy of differential pressure reading: +/- 1%
- Resolution of differential pressure reading (panel display): 0.001 inch of water gauge (0.249 Pa)
- Resolution of differential recorder (printer): 0.001 inch of water gauge (0.249Pa)
- Ambient warning tone: 3.8 Hz, 80 dB at 40 inches (1m)
- Operating temperature range: 0-50°C (32° to 120°F)
- Printout interval programmed by user: Range: 4 readings/minute to 1 reading/hour
- Differential pressure sensor transducer output range: 0-5 VDC
- Input tubing diameter: 1/8 inches ID (4.8mm)
- Input tubing length: 20 feet (60m)
- Power supply requirements: 120 VAC 0.5A 60Hz (other power options available)
- Data storage capacity: 7 days
- Options Available: Remote Alarm Assembly Circular Chart Recorder

LEAD / MOLD

#AS0050

Omniguard® 4 Digital Pressure Recorder

The clear choice for monitoring and documenting Vacuum and Pressure in a containment area.

Ideal for Asbestos, Lead and Mold abatement and Clean Room monitoring. The Omniguard® 4 utilizes state of the art pressure measurement technology to accurately monitor pressure inside a containment area. The Omniguard® 4 is a differential pressure recorder in a completely self-contained package, designed from the beginning to be extremely flexible yet easy to use. The included accessories, owner's manual, hose, a spare roll of paper and AC cord, store easily in the lid. There's no AC adapter to keep track of.

Sold Separately

AS0051	10' Hose for Omniguard®
AS0053	100' Hose for Omniguard®
AS0052	6 Volt AC Adaptor for Omniguard®

#CHM5030



Ledizolv® Detergent

Scientifically formulated for use in the clean-up and control of LCD hazards.

Millions of homes, schools, day care centers and other buildings contain lead-based paint and/or other sources of lead-contaminated dust (LCD). This dust is the primary cause of childhood lead poisoning, which is the leading environmental health risk to young children.

According to HUD and EPA, the best way to make a home lead-safe is to perform specialized cleaning activities on a regular basis with a lead-specific detergent.

LEDIZOLV® is THE LEAD-SPECIFIC DETERGENT™ scientifically formulated for use in the clean-up and control of LCD hazards. Surf through this site to find how to make homes, schools, and other buildings lead-safe.

- Reduces LCD hazards.
- Superior to TSP in removing LCD.
- Reduces clearance failures by 95% & more.
- Used worldwide by abatement contractors.

D-Wipe® Towels

The soft towels lift, bind and hold lead and other heavy metal dusts and take them away without smearing.

Disposable towels are generously saturated with a gentle pH balanced cleaner to quickly remove lead, heavy metal dusts, dirt, greases and oils. The soft towels lift, bind and hold lead and other heavy metal dusts and take them away without smearing. With Aloe skin moisturizers, D-Wipe towels are the portable and convenient way to clean the hands, arms, face and surfaces.

Available in canisters or individually wrapped single towels.

AS0222-S	Singles
AS0222-C	Canisters

LeadCheck®

LeadCheck Swabs are non-hazardous and provide a rapid, sensitive and specific test for leachable lead on any surface. When lead is detected, the swabs and/or the surface being tested turns pink or red on contact, depending on the concentration of lead present. Results are obtained in less than 30 seconds in most tests. Each kit is labeled with manufacture date, model number, serial number, and expiration date to conform to RRP rule.



AS0211

D-Lead® Test Kits for Lead Dust

D-Lead® Test Kits are ready to use, fast, simple, portable and provide immediate results. This kit will detect as little as 20 micrograms of lead and can be used to detect lead on surfaces, respirators, tools, clothing and hands.

D-Lead® Lead Paint Test Kit

- The only test for lead in paint that is both ETV Tested and EPA Recognized* for use on drywall, plaster, wood and ferrous metal surfaces
- Quickly determine if a paint sample contains less than the USEPA regulated lead limit
- Test for lead and lead chromate based paints in minutes
- Small 3/16" sample required (sample tool included)
- D-Wipe® Prep Towels (included) reduce the chance of contamination of samples

* The EPA Environmental Technology Verification Program (ETV) Name and/or Logo does not imply approval or certification of this product, nor does it make any explicit or implied warranties or guarantees as to product performance.



AS0220

AS0221

#MA0090

Hygromaster - Moisture Meter MMS Plus

The moisture you cannot see matters most when cleaning and restoring a property after water damage.

From hidden mold to unseen structural damage, undetected moisture damages health and property and its oversight can create liability. That's why the right moisture meter makes the difference. The GE Protimeter MMS has become the standard for the professional inspector. Those that know the oversight of hidden problems leads to dissatisfied customers, missed opportunities in restoration, and liability issues, today rely on the advanced features found in the MMS.

Features:

- Automatic grains-per-lb calculations for specific humidity
- Data logging with PC interface
- Interchangeable Hygrostick probe
- Optional low range RH probe from 1% to 40%RH

Dimensions:	7 in x 2.75 in x 1.9 in (180 mm x 70 mm x 49 mm)
Gross Weight:	10.58 oz (300 g) instrument only. 2.5 lb (.006 g) complete kit
Max Needle Depth:	0.4 in (10 mm)
Display:	LCD
Batt. (included):	2 AA
Measuring Ranges:	Pin (% WME); 6 to 99; Non-invasive (RF) up to 3/4 in (19 mm) deep; 0 to 1000 (relative); Hygrostick (RH) nominal; 20 to 100% RH, 32 to 122°F (0 to 50°C)
Temp. Probe Range:	15 to 120°F (-10 to -50°C)
Hygrostick Data (Nominal):	30 to 40% RH (±2.5% RH); 41 to 98% (±1.75% RH); 0.5 to 122°F (-18 to -50°C) ±0.6°F (0.3°C)
Low Range RH Sensor (Nominal):	Optional MMS Plus 0% to 40% RH ±2.0%; Temp. 32 to 104°F ±6.0° (0 to 40°C ±0.3°)
Data Storage:	Up 1,000 results w/ date and time stamp from all instrument functions

#MA5360

Protimeter Dual Mode Moisture Meter Surveymaster

This unique Surveymaster moisture meter with two modes of operation - search and measure.

Helps the user to distinguish sub-surface from surface moisture, essential information when trying to establish the extent and cause of a dampness problem. Surveymaster is a moisture meter that displays the moisture level values on a digital display along side a scale of color-coded lights. This digital moisture meter helps in accurate building material moisture measurement. This helps the user to map the extent of problems and monitor changes in condition precisely and reliably. The Surveymaster is the industry standard moisture meter for surveying and investigating moisture in buildings.

Range	0 to 999 relative (non-invasive); 7% to 99% WME (pin meas.)
Display 1	Digital LCD
Display 2	60 LEDs green (dry), yellow (at risk) and red (wet)
Depth of moisture	Non-invasive up to 3/4 in (19 mm) , Pin up to 1/2 in (12.7 mm)
Case	Pouch with belt loop
Power	9 V (supplied)
Technical Specifications	
Standard Supply	Instrument, 5 in (127 mm) deep wall probes, moisture probe, calcheck, 2 spare pins, pouch and instructions
Weight, inc. Batt.	220 lbs./4 oz (100g/4 oz)
Dimensions	7 in x 1 in x 2 in (175 mm x 30 mm x 48 mm)
Battery	One 9 V 6F22R
Features	Audible tone. May be switched on/off by the user. Auto switch off. May be switched off, or set between one to three minutes, by the user.

HAND PROTECTION

Gloves

COTTON

Cotton Canvas

Ideal for a wide variety of general purpose lifting and handling tasks. The canvas gloves are a reliable 70% cotton / 30% polyester fabric that helps to keep hands cool and comfortable.



#GC0100

Applications:

- General Industrial
- Refrigerated Areas
- General Maintenance
- Construction
- Agricultural
- Gardening/Outdoor
- Material Handling

Cotton Canvas Single

Cotton canvas construction with black PVC dotted palm for improved grip. Clute pattern with knitwrist.



#GC0101

Applications:

- Construction
- Yard work
- Landscaping
- Farming
- Painting

Brown Jersey Knit Wrist

Another widely used glove due to its comfort, economy, and usefulness and is a lightweight 30% cotton 70% polyester glove with a knit wrist.



#GC2620

Applications:

- General Industrial
- Refrigerated Areas
- General Maintenance
- Material Handling
- Construction
- Agricultural

Southern Glove Super Oil Rig

Rayon Lined Cotton Gloves Keep your hands warm w/the Poly/cotton or 100% cotton with Rayon lining. Knitwrist, clute cut.



#GC2005

Applications:

- General Industrial
- General Maintenance
- Material Handling
- Construction
- Agricultural

STRING

String Knit

Most widely used glove in the market, 70% cotton/30% polyester mix, reversible and ambidextrous for added durability, can also be used as a



#GS3601

Applications:

- General Industrial Work
- Refrigerated Areas
- General Maintenance
- Construction
- Agricultural
- Assembly
- Material Handling

String Knit Single or Double Dot

Coated with PVC for added grip and durability. Knit construction allows breathability with less hand fatigue. Seamless pattern increases comfort.



GS0107

Single Dot

GS0110

Double Dot

Applications:

- Warehousing
- General assembly
- Light duty general work
- Construction
- Bottle handling

Kevlar String Knit Cut Resistant Double Sided

Made w/ regular wt. 100% KEVLAR® fiber, similar to string knit; however, have PVC dots for an added grip.



#GCR0102

Applications:

- Warehousing / package handling
- General assembly
- Light duty general work
- Construction

String Knit w/Blue Latex Coating

The blue PVC dipped cotton/ polyester knit wrist glove's palm has been completely dipped with a thin coating of latex improving grip and prolonging life.



#GS0102

Applications:

- General Industrial Work
- Refrigerated Areas
- General Maintenance
- Material Handling
- Assembly
- Agricultural

Vice Gripsters

Two layer seamless brushed synthetic terrycloth inner liner provides warmth and comfort in cold conditions. Etched rubber finish gives outstanding grip and stays flexible in cold and harsh environments. Hi Vis orange outer shell.



GCT0101

Blue

GCT0103

Red

OSHA 1910.138(a)

General requirements.

Employers shall select and require employees to use appropriate hand protection when employees' hands are exposed to hazards such as those from skin absorption of harmful substances; severe cuts or lacerations; severe abrasions; punctures; chemical burns; thermal burns; and harmful temperature extremes.



HAND PROTECTION

Gloves

LEATHER

Full Leather Palm w/Knit Wrist

This glove is the number one work glove for general industry applications. It has a striped canvas backing, with a cowhide shoulder split leather palm. The gloves come with leather fingertips, knuckle bands, and a full leather index finger for added protection. Cotton lining helps to keep hands cool and comfortable.



#GL4601

Applications:

- General Industrial
- Material Handling
- Construction
- Agricultural

Full Leather Palm w/4" Safety Cuff

Split cowhide leather palm gloves are constructed using four different grades to meet different price points. Leather knucklestrap and finger tips for extra protection. Elastic closure sewn inside glove for safety and comfort. Cotton lined palm for extra comfort.



#GL4607

Applications:

- Metal work
- Farming
- Construction
- General Purposes

#GL0100- w/2" Safety Cuff

Premium Grade Pig Skin

Our best full leather work gloves. Available in both unlined and fleece lined styles. The red fleece lining is designed to add an extra degree of warmth as well as heat resistance, while the unlined version gives added dexterity. Both gloves feature slip on cuffs, shirred elastic back, and a keystone thumb.



#GL0994

Applications:

- General industrial
- Agricultural
- Construction
- Material Handling

Welder's Glove Reinforced Thumb

All leather split cowhide construction, fully welted and have a one-piece back to extend wear. Consistent grading and superior workmanship, various grades of leather provide varying degrees of protection.



#GW8605

Applications:

- Ideal for welding and hot, heavy material handling

PVC 12" Smooth Finish

Polyvinyl Chloride (PVC) is a thermoplastic polymer of urethane. PVC offers good abrasion resistance and is very flexible. PVC starts to soften at approximately 82°C (180°F). PVC is effective against water and most aqueous solutions, detergents, and diluted bases and acids. It only has limited chemical resistance to organic solvents.



#GCH1692S

Applications:

- Petrochemical and refining applications
- Handling grease, oils, acids, caustics and alcohols

PVC 12" Rough Finish



#GCH0102



Why Latex Gloves?

Inexpensive and ideally suited for a variety of applications.

Latex gloves are disposable gloves made from latex, a rubber product which can be produced naturally or synthetically. Awareness of latex allergies has led to the inclusion of non-latex gloves as an alternative in some facilities to address concerns about allergic reactions. Latex can be sourced either naturally or synthetically. In either case, the material provides excellent barrier protection, preventing the transmission of viruses and bacteria between a health care provider and a patient. Latex is also a great material for medical gloves because it is thin and flexible, which means that it will not interfere with freedom of movement. Wearing properly-sized latex gloves almost feels like not wearing any gloves at all, which is very important for many aspects of medical care. Powdered latex exam gloves, which tend to be easier to put on. In some cases, powdered gloves may not be suitable, as the powder can sometimes cause allergic reactions or other problems. Latex exam gloves are also available in a wide range of sizes to accommodate various hand sizes. The gloves are disposed of after each patient, and they may be changed during the course of an exam for safety.

LATEX		
	GCH010D-Size	Ansell Air Flex Gloves
	GCH0910	Neoprene Latex Gloves
	GD0625	Disposable Latex Gloves
	GCH1475	Ansell® Hy-Care Gloves
	GD1773	Kimberly-Clark® Kleen-Guard G10 Powder-Free
	GCH0100	Latex Yellow 12" Flock Lined Gloves
	GCH1351	Best® Value Master Unlined Natural Latex
	GCH1350	Best® Value Master-Flock Lined Natural Latex

LATEX		
	GCH1355	Best® Master Natural
	GD1800	Microflex ColorTouch® Lightly Powdered Exam
	GD1601	Microflex ComfortGrip® Powder-Free Exam
	GD1401	Microflex Diamond Grip Plus™ Powder-Free Exam
	GD1400	Microflex Diamond Grip™ Powder-Free Exam
	GD1700	Microflex MicroOne® Lightly-Powdered Exam
	GD1500	Microflex UltraOne® Powder-Free Exam

Most gloves are available M, L, XL, unless noted otherwise.

NITRILE		
	GCH1480	Ansell Sol-Knit® Supported
	GD1881	Ansell Touch N Tuff® Premium
	GD1990	Best® N-DEX® Free Accelerator-Free Disposable
	GD1900	Best® N-DEX® NightHawk
	GD1970	Best® N-DEX® Original
	GD1971	N-DEX® Original Class I Powder-Free
	GD1972	N-DEX® Plus 8005
	GD1973	N-DEX® Plus 8005 Powder-Free

NITRILE		
	GD1974	N-DEX® Ultimate 9905 Powder-Free
	GD1980	Best® Nitrile Gloves
	GD0610-size	Global Glove 5 Mil Powder-Free
	GD1100	MicroFlex FreeForm® SE Powder-Free Exam
	GD1101	MicroFlex FreeForm® EC Powder-Free Exam 50/box
	GD1300	MicroFlex Nitron One® Lightly-Powdered
	GD1200	MicroFlex Supreno® SE Powder-Free Exam 100/box
	GD1201	MicroFlex Supreno® EC Powder-Free Exam 50/box

Why Nitrile Gloves?

One of the strongest disposable gloves that addresses allergic reactions.

Nitrile gloves are a type of disposable glove made of synthetic rubber. They contain no latex proteins and offer excellent resistance to wear and tears. Nitrile gloves are more puncture resistant than many other types of rubber gloves and can be used to offer superior resistance to many types of chemicals. They are often considered to be one of the strongest types of disposable glove and are generally safe for people who are allergic to latex. Unlike other disposable gloves, nitrile gloves have low resistance to friction and are very easy to slide on. As with some other types of disposable gloves, however, powder such as cornstarch may be added in order to make putting on the gloves as easy as possible. Nitrile gloves come in a variety of sizes to fit all hands, from extra small to extra large. They can be made in a variety of textures, cuff lengths and thickness. These gloves are popular for their high degree of flexibility and superior solvent resistance. They are resistant to many oils and some acids, making nitrile gloves a good choice for many manufacturing environments. Nitrile gloves should not be stored under excessive light or heat, however, as that can make the rubber disintegrate more rapidly.

PROTECTIVE CLOTHING

Coveralls

THE SAFEHOUSE.COM



Standard



Safetyhouse NexGen Standard

- A composite of breathable film and nonwoven fabric
- Lightweight and soft, yet strong, whether wet or dry
- Anti-static treated
- Mid-level barrier protection against non-hazardous particles, non-hazardous light liquid splash and non-hazardous aerosols

CN1400 White, zipper front, elastic wrists & ankles

Sizes available in XL to 5X

Hood / no Boots



Safetyhouse NexGen Hood, No Boots

- A proprietary composite of breathable film and nonwoven fabric
- Lightweight and soft, yet strong, whether wet or dry
- Breathable, yet an excellent barrier against particles and some hazardous liquids used in general industrial environments

CN1400 White, zipper front, elastic wrists, ankles, hood

Sizes available in XL to 5X

Hood / w/ Boots



Safetyhouse NexGen Hood and Boots

- Constructed with a composite of breathable film and nonwoven fabric.
- Lightweight and soft, yet strong with good physical properties.
- Anti-static treated.
- Provides protection against particles and some non-hazardous liquids.

CN1400 White, zipper front, elastic wrists, ankles, hood & boots

Sizes available in XL to 5X



Polypro Bouffant Cap 21"



CP0405 Polypro Bouffant Cap 21"

Disposable Shoe Covers



CT5020-Shoe-AS Shoe Cover Anti-Skid

Latex HazMat Boot Covers



CM0905-Size Boot Cover

Polypro Boxer Shorts



CP0401 Boxer Shorts

PROTECTIVE CLOTHING

Coveralls

SMS SUITS

SMS SUITS



SMS Suits

These garmets are strong, fluid resistant and breathable.

SafeGard® 76 fabric consists of three layers of pliable, comfortable polypropylene. The two outer layers are made with no-nonsense, spunbonded filaments that stand up to tearing and abrasion; the inner layer is of meltblown polypropylene microfibers that filter out potentially harmful particulate matter and liquids. Breathability is the bonus; air and water vapor pass through for superior wearer comfort. SafeGard® 76 SMS is a 57 g/in2 fabric with meltblown middle layer and is rugged, triple-stitched, with serged seams to save on renting, laundering and replacing cloth garments. Not recommended for use near heat, flames or in flammable sites.

- Three ply material consisting of one layer of Meltblown polypropylene bonded between two layers of spunbound polypropylene.
- These garmets are strong, fluid resistant and breathable. Providing maximum comfort and durability, providing optimal mix of protection and comfort at an affordable price.
- Typical applications include general maintenance, janitorial services, food processing, construction and any nonhazardous job where you need to keep clean.



#CN6100 Blue, Hood and Boot, Elastic Wrists

Sizes available in XL to 5X

#CN0600 White, Elastic Wrists and Ankles

Sizes available in XL to 5X

POLYPROPYLENE SUITS

POLYPRO SUITS



Polypropylene Suits

These garmets are strong, fluid resistant and breathable.

The polypropylene suits are breathable, comfortable, and work great for lightweight applications where there is no danger from liquid contaminants.

Polypropylene disposable clothing is an ideal solution for non-hazardous, grimy work environments where a low cost disposable garment is needed. The spun bonded coveralls are used in many settings including hospitals, clinics, laboratories, food processing, manufacturing, general cleaning and also painting applications.

- Polypropylene suits are breathable, comfortable, and work great for lightweight applications
- Used in many settings including hospitals, clinics, laboratories, and food processing.
- Also used for manufacturing, general cleaning and painting applications
- The spun bonded coveralls are used in many settings including hospitals, clinics, laboratories, food processing, manufacturing, general cleaning and also painting applications.



#CP2850 White, Hood and Boot, Elastic Wrists

Sizes available in XL to 5X

#CP0300 Blue, Elastic Wrists and Ankles

Sizes available in XL to 5X

PROTECTIVE CLOTHING

Coveralls



#CT5000

Tyvek® Coveralls

With Tyvek® coveralls you don't have to compromise.

That's because Tyvek coveralls deliver the best balance of protection, durability and comfort. Made using a proprietary manufacturing process, Tyvek coveralls feature an inherent barrier. So, unlike other protective apparel fabrics, which have either a film or coating that can be easily scratched or worn away, Tyvek coveralls provide barrier through the entire fabric.

DuPont™ Tyvek® provides the best balance of protection, comfort and durability. Made of DuPont's unique, non-woven technology for comfortable, inherent barrier protection against dry particulate hazards and light liquid splash. Set-sleeve pattern for greater arm movement. Stops sub-micron particles better than reusable garments, even after abrasion.

Standard Coverall

- **Tyvek #14120** - Comfort fit design based on extensive wearer input to provide our most comfortable garment design that: enables a greater range of movement while stretching and bending, provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts, utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment.
- Laydown collar
- Open wrists; Open ankles

#CT5000



Coverall Elastic Wrist/Ankles

- **Tyvek #14125** - Comfort fit design to enable a greater range of movement while stretching and bending, provides a more tailored fit, offers reinforcement in high stress areas for fewer blowouts, utilizes a longer zipper for easier donning and doffing and an elastic waist to better position the garment.
- Laydown collar.
- Elastic opening for tighter fit at wrist.
- Elastic opening for tighter fit at ankle.

#CT5000



Coverall Hood/no Boots


- **Tyvek #14127** - Tailored fit, offers reinforcement in high stress areas for fewer blowouts.
- Attached respirator-fit hood with elastic around face opening, designed to cover neck and chin and fit around respirator face mask.
- Longer zipper extends to chin for complete coverage of neck area.
- Elastic opening for tighter fit at wrist
- Elastic opening for tighter fit at ankle.

#CT5000



Coverall Hood and Boots

- **Tyvek #14261** -Attached respirator-fit hood with elastic around face opening, designed to cover neck and chin and fit around respirator face mask.
- Longer zipper extends to chin for complete coverage of neck area.
- Elastic opening for tighter fit at wrist.
- Attached Tyvek® FC boots have special coating to provide added skid-resistance.



EXTRA PROTECTION

A **BOUND SEAM** has each of the raw edges of its seam allowances enclosed in a strip of fabric, lace or net 'binding' that has been folded in half lengthwise. This provides extra protection.

DuPont™ Tychem® QC

Cost effective protection from liquid splashes and dry particulates.

A **comfortable, lightweight, and durable fabric**, DuPont™ Tychem® QC utilizes the strength of DuPont™ Tyvek® fabric and a polyethylene quality coating, making this one of the more comfortable and protective garments available. Tychem® QC is used for light splash protection in a variety of industrial environments, including petroleum refining, pulp and paper manufacturing, food processing, chemical processing, and pharmaceutical manufacturing. 1 Tychem® QC provides excellent resistance against biohazards such as blood, body fluid, and viral contaminants, and passes ASTM F1670 for blood penetration and F1671 for viral penetration.

Visibility When working in hazardous conditions, the color and visibility of protective apparel can greatly affect the overall safety of the worker. When workers wear high-visibility colors, it improves how well they are seen and distinguished from the background. Obviously, safety is enhanced when workers can clearly see coworkers. The Tychem® QC yellow color is often a preferred choice because it provides contrast across a wide range of natural backgrounds.

Standard Coverall

- **Tychem #37125** - A lightweight, and durable fabric, DuPont™ Tychem® QC utilizes the strength of DuPont™ Tyvek® fabric and a polyethylene coating. Tychem® QC fabric provides at least 30 minutes of protection against 42 chemical challenges. Tychem® QC is used for light splash protection in a variety of industrial environments, including petroleum refining, pulp and paper manufacturing, food processing, chemical processing, and pharmaceutical manufacturing.
- Multiple interlocking threads are sewn around the raw edges of garment material to create a strong, stress-resistance seam
- Laydown collar
- Elastic opening for tighter fit at wrist; Elastic opening for tighter fit at ankle.

#CCH0140



Coverall w/Sewn Seams

- **Tychem #35124** - Multiple interlocking threads are sewn around the raw edges of garment material to create a strong, stress-resistance seam.
- Attached hood with elastic around face opening.
- Elastic opening for tighter fit at wrist.
- Elastic opening for tighter fit at ankle.

#CCH0140



Coverall Bound Seams

- **Tychem #37122** - Tightly sewn seam is covered with garment fabric to reinforce seam and reduce potential for particle penetration.
- Attached hood with elastic around face opening.
- Storm flap covers zipper which can be sealed by the wearer w/ adhesive strip to prevent intrusion at zipper.
- Elastic opening for tighter fit at wrist
- Elastic opening for tighter fit at ankle.

#CCH0140



Coverall Bound Seams

- **Tychem #37124** - Tightly sewn seam covered with garment fabric to reinforce seam.
- Attached hood with elastic around face opening.
- Storm flap covers zipper which can be sealed by the wearer with adhesive strip to prevent intrusion at zipper.
- Elastic opening for tighter fit at wrist
- Integrated socks composed of garment material.

#CCH0530-SZ-LB



Fully Encapsulated/Level B

- **Tychem #37133** - Unique design that gives first responders an increased level of protection when they need to respond to chemical, biological, or radioactive (CBRN) terrorist incidents quickly.
- Integrated SCBA facepiece seal engineered to provide effective liquid and increased vapor protection without respirator encapsulation.
- Extra long zipper to increase garment opening and aid donning.

#CCH0140



PROTECTIVE CLOTHING

Coveralls

PROTECTIVE CLOTHING

Coveralls



PROTECTIVE CLOTHING

Coveralls

KLEENGUARD

#CK7200



KLEENGUARD A20
Breathable Particle Protection Coveralls

Made from a breathable patented MICROFORCE™ Barrier SMS fabric that offers significantly improved barrier protection on submicron-size particles (0.26 micrometers). Strong and abrasion resistant for extended wear. Offers protection against dry particulates and light liquid sprays. Available in denim and white.

Available Options / Sizes

CK7200	White or Denim Blue, zipper front, no elastic
Small; Medium; Large; X-Large; 2X-Large	
CK7200A	White or Denim Blue, zipper front, elastic back, wrists & ankles
Small; Medium; Large; X-Large; 2X-Large	
CK7200B	White or Denim Blue, zipper front, elastic back, wrists, ankles & hood
Small; Medium; Large; X-Large; 2X-Large	
CK7200C	White or Denim Blue, zipper front, elastic back, wrists, ankles, hood & boots
Small; Medium; Large; X-Large; 2X-Large	

#CK7300



KLEENGUARD A30
Breathable Splash & Particle Protection Coveralls

With all the protection you expect from KLEENGUARD*, but now even more durable, KLEENGUARD* A30 Breathable Splash & Particle Protection Coveralls are made from heavier fabric. Patented MICROFORCE™ Barrier fabric enhances the performance of this premium SMS fabric, giving it superior particle holdout while allowing excellent breathability.

Available Options / Sizes

CK7300	White, zipper front with 1" flap, elastic back
Small; Medium; Large; X-Large; 2X-Large	
CK7300A	White, zipper front with 1" flap, elastic back, wrists & ankles
Small; Medium; Large; X-Large; 2X-Large	
CK7300B	White, zipper front with 1" flap, elastic back, wrists, ankles & hood
Small; Medium; Large; X-Large; 2X-Large	
CK7300C	White, zipper front with 1" flap, elastic back, wrists, ankles, hood & boots
Small; Medium; Large; X-Large; 2X-Large	

#CK7400



KLEENGUARD A40
Liquid & Particle Protection Coveralls

Achieve extreme particle barrier protection for non-hazardous liquids with KleenGuard A40. The coverall is made from a breathable, micro-porous film laminate that keeps liquids and particles out. Excellent tensile strength ensures that this lightweight material will give workers long term protection.

Available Options / Sizes

CK7400	White, zipper front
Small; Medium; Large; X-Large; 2X-Large	
CK7400A	White, zipper front, elastic wrists & ankles
Small; Medium; Large; X-Large; 2X-Large	
CK7400B	White, zipper front, elastic wrists, ankles & hood
Small; Medium; Large; X-Large; 2X-Large	
CK7400C	White, zipper front, elastic wrists, ankles, hood & boots
Small; Medium; Large; X-Large; 2X-Large	

#CK7600



KLEENGUARD A60
Bloodborne Pathogen & Chemical Splash Protection

The patented three-layer fabric construction feature a middle layer of microporous film that allows heat and sweat vapor to escape, protects against many dry particulates and liquids, even under pressure. Passes ASTM F1670/1671 testing for penetrations of blood, body fluids and blood-borne pathogens. Thicker outer layers provide better protective barrier against tearing and abrasion.

Available Options / Sizes

CK7600	Denim Blue, zipper front, no elastic
Large - 5X	
CK7600A	Denim Blue, zipper front, storm flap, elastic back, wrists & ankles
Large - 5X	
CK7600B	Denim Blue, zipper front, storm flap, elastic back, wrists, ankles & hood
Large - 5X	
CK7600C	Denim Blue, zipper front, storm flap, elastic back, wrists, ankles, hood & boots
Large - 5X	

#CK6500



KLEENGUARD A65
Flame Resistant Coveralls

A soft yet strong, lightweight garment made of a spunlace nonwoven fabric treated with a flame-resistant finish. While not primary fire-protection gear, they are designed to be worn in areas where exposure to sparks is possible. Flame resistant and compliant with NFPA 701. NFPA 99 compliant. Complies with the flame resistance requirements cited by paragraph 6.1 of CAN/CGSB-155.20-2000.

Available Options / Sizes

CK6500	Blue, zipper front
Large - 5X	
CK6500A	Blue, zipper front, Elastic wrists, ankles & hood
Large - 5X	
CK6500B	Blue, zipper front, elastic wrists, ankles, hood & boots
Large - 5X	
CK6500C	Blue, with hook and loop closure
Large - 5X	

#CK7700



KLEENGUARD A70
Chemical Spray Protection Apparel

Made from a nonwoven fabric with a 1.5 mil polyethylene film-laminated exterior and comfortable, cloth-like interior. Designed with no seams in the front of the garment (the primary splash area). Available with serged seams only.

Available Options / Sizes

CK7700	Zipper front, storm flap, elastic wrists, ankles & hood
Small; Medium; Large; X-Large; 2X-Large	
CK7700A	Zipper front, storm flap, elastic wrists, hood, & boots
Small; Medium; Large; X-Large; 2X-Large	
CK7800B	Taped seams, white, zipper front, storm flap, elastic wrists, ankles & hood
Small; Medium; Large; X-Large; 2X-Large	
CK7800C	Taped seams, white, zipper front, storm flap, elastic wrists, ankles, hood & boots
Small; Medium; Large; X-Large; 2X-Large	

#CK7800



KLEENGUARD A80
Chemical Permeation & Jet Liquid Protection Coveralls

Made from a durable, lightweight fabric with an exterior laminated with Saranex® 23-P film and an interior that has a comfortable, cloth-like feel against the skin. Designed with no seams in the front of the garment (the primary splash zone). Available with bound or taped seams.

Available Options / Sizes

CK7800	Bound seams, white, zipper front, storm flap, elastic wrists, ankles & hood
Small; Medium; Large; X-Large; 2X-Large	
CK7800A	Bound seams, white, zipper front, storm flap, elastic wrists, ankles, hood & boots
Small; Medium; Large; X-Large; 2X-Large	
CK7800B	Taped seams, white, zipper front, storm flap, elastic wrists, ankles & hood
Small; Medium; Large; X-Large; 2X-Large	
CK7800C	Taped seams, white, zipper front, storm flap, elastic wrists, ankles, hood & boots
Small; Medium; Large; X-Large; 2X-Large	

RESPIRTORY

3M™ Respirators



FULL FACE RESPIRATORS

Cartridges, Filters, and Battery Chargers Sold Separate.

#RF6000



3M™ Full Facepiece 6000 Series, Reusable

This full facepiece reusable respirator offers lightweight comfort and ease of use. Combine with appropriate 3M™ Particulate Filters or Cartridges, to help provide respiratory protection against particulates and/or a variety of gases and vapors. Lens Clear or Tinted. S, M, L

#RF7800



3M™ Full Facepiece 7800S Series, Reusable

Use with 3M™ Filters 2000 Series, 3M™ Cartridges and Filters 7000 Series and powered and supplied air systems against a variety of gases, vapors and particulates according to NIOSH approvals. S, M, L

#RM0100



3M™ Powerflow™ PAPR

This PAPR helps protect against dusts, fumes, mists and radionuclides. It's ideal for lead, asbestos and other hazardous particles. It meets ANSI requirements for eye and face protection. M or L.

RCF9000	HEPA Filter, SP3
RR0105	NiCd Battery Pack
RR0115	Smart Charger

#RR0200



3M™ Breathe Easy™ Belt-Mounted, PAPR

The power behind each 3M Breathe Easy PAPR respirator systems, uses interchangeable gas canisters, cartridges and filters. Powered by a rechargeable eight-hour battery. Includes motor blower, battery pack, belt and flow meter.

RR0201	Turbo Unit Assembly with Intrinsically Safe Battery
RR0211	Turbo Unit Assembly with NiMH Battery
RR0210	NiMH Battery
RR0202	Smart Charger for Intrinsically Safe Battery
RR0212	Smart Charger for NiMH Battery

HALF-MASK RESPIRATORS

#RH6000



3M™ Half Facepiece 6000 Series, Reusable

This half facepiece reusable respirator offers reliable and convenient respiratory protection and is suitable for many situations, helping provide protection against particulates and a wide variety of gases and vapors according to NIOSH approvals. S, M, L

#RH7500



3M™ Half Facepiece 7500 Series, Reusable

This half facepiece reusable respirator 7500 Series uses advanced silicone material to help provide comfortable and durable respiratory protection. The 3M™ Cool Flow™ Valve helps make breathing easier and can reduce heat and moisture build-up for cool, dry comfort. S, M, L

#RH1000



3M™ Half Facepiece Respirator Assembly

When properly fitted, use in a variety of applications including welding, brazing, torch cutting, metal pouring, soldering, and exposure to lead, asbestos, cadmium, arsenic, and MDA for concentrations up to 10 times the Permissible Exposure Limit (PEL). Do not use in environments that are immediately dangerous to life or health (IDLH). S, M, L

#RH5000



3M™ Half Facepiece 5000 Series

NIOSH approved against certain organic vapors and particulates. Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation.

3M™ Full Face 6000 Series	Maximum Use Concentration
P2 Particulate Filters	50 x Exposure Standard
P3 Particulate Filters	100 x Exposure Standard
Class 1 Gas and Vapour Filter	50 x Exposure Standard or 1000 ppm (which ever is lower)
Class 2 Gas and Vapour Filter	100 x Exposure Standard or 5000 ppm (which ever is lower)
Air Supplied System	> 100 x Exposure Standard up to IDLH* atmospheres

* IDLH: Immediately Dangerous to Life and Health

RESPIRTORY

3M™ Cartridges and Filters



	Color Code	Part No.	Model	Description	PK		Color Code	Part No.	Model	Description	PK
		RCF6001-OV	6001	Organic Vapor	2/pk			RCF5N11	5N11	N95 Filters for use w/ 501 Filter Retainer	10/pk
		RCF6002-AG	6002	Acid Gas	2/pk			RCF5P71	5P71	P95 Filters for use with 501 Filter Retainer	10/pk
		RCF6003-OV/AG	6003	Organic Vapor / Acid Gas	2/pk			RCF2071-P95	2071	P95 Filters particulate filter	2/pk
		RCF6004-A/M	6004	Ammonia / Methylamine	2/pk			RCF2076-HF	2076HF	P95 / Hydrogen Flouride w/ Nuisance Level Acid Gas Relief	ea
		RCF6005-F/OV	6005	Formaldehyde / Organic Vapor	2/pk			RCF2078-OV/AG	2078	P95 Filter with Nuisance Level Organic Vapor / Acid Gas Relief	2/pk
		RCF6006-MG	6006	Multi Gas	2/pk			RCF2091-P100	2091	P100 Filters	2/pk
		RCF6009-MV/CG	6009	Mercury Vapor / Chlorine Gas	2/pk			RCF2096-AG	2096	P100 Filter with Nuisance Level Acid Gas Relief	2/pk
		RCF60921-OV	60921	P100 / Organic Vapor	2/pk			RCF2097-OV	2097	P100 Filter with Nuisance Level Organic Vapor Relief	2/pk
		RCF60922-AG	60922	P100 / Acid Gas	2/pk			RCF7093	7093	P100 Filter	12/bx
		RCF60923-OV/AG	60923	P100 / Organic Vapor / Acid Gas	2/pk			RCF2043-C	7093C	P100 Cartridge / Filter Hydrogen Flouride w/ Nuisance Level Organic Vaper / Acid Gas Relief	60/cs
		RCF60924-A/M	60924	P100 / Ammonia / Methylamine	2/pk			RCF5011	501	Prefilter Retainer for use w/ 5N11 or 5P72 Filters	ea
		RCF60925-F/OV	60925	P100 / Formaldehyde / Organic Vapor	2/pk			RCF502	502	Filter Adapter for use w/ the 2000 series or 7093 Filters	each
		RCF60926-MG	60926	P100 / Multi Gas	2/pk						
		RCF60929-MV/CG	60929	P100 / Mercury Vapor / Chlorine Gas	2/pk						

Cartridges, Filters, and Battery Chargers Sold Separate.

APPLICATIONS AND INDUSTRIES	POTENTIAL HAZARDS	CARTRIDGE/FILTER OPTIONS*
Abatement	Lead & Asbestos Mold	P100 N95 - P100/OV
Spray Painting, Varnishing, Staining & Coating	Solvent-based Water-based Latex	OV/P95 Nuisance OV*/P95
Sanding & Grinding	Particulate	N95
Welding	Weld Fume Stainless Steel & Galvanized	N95 Nuisance OV**/P95
Cement Work	Silica/Dust	N95
Cleaning & Janitorial	Bleach Ammonia General Cleaning Products	AG/P95 AM/MA/P95 OV/P95
Agriculture	Pesticides & Insecticides	OV/AG/P95
Construction	Particulate	N95
Manufacturing	Solvents Particulate	OV N95
Pharmaceutical Manufacturing	Particulate	N95/P100
Chemical Manufacturing	Sulfur Dioxide, Chlorine Ammonia	AG/P95 AM/MA/P95

*Respirator facepiece or system must be chosen based on the airborne concentration and the necessary assigned protection factor.
**Nuisance level refers to concentrations below the Occupational Exposure Limit (OEL) or other applicable government regulations, whichever is lower.
If you are uncertain of the concentration levels of contaminants or recommended levels of respiratory protection, contact the 3M Technical Service Helpline at 1-800-243-4630. It should not be used as the only means for selecting a respirator. Details regarding performance and limitations are set out on the respirator package and User Instructions. Before using any of these respirators, the wearer must read and understand the User Instructions for each product.

RESPIRTORY

MSA Respirators

All Available in S, M, L



FULL FACE RESPIRATORS

Cartridges, Filters, and Battery Chargers Sold Separate.

#RF3000



Advantage® 3000

Enhances worker performance through a design that allows even lower breathing resistance, a standard nose cup that reduces fogging and a soft, pliable silicone facepiece. A scratch resistant, wraparound lens engineered to be optically correct eliminates distortion for superior visibility and peripheral vision. Advantage 3000 uses the same cartridges and filters as the Advantage 200LS respirator. Designed to meet the National Institute for Occupational Safety and Health (NIOSH) and EN standards.

Suggested Applications:

- Agriculture
- Asbestos Abatement
- Chemical
- Construction
- Electric Utility
- Hazardous Materials
- Mining
- Nuclear
- Oil and Gas
- Paper & Pulp
- Sanding & Grinding
- Spray Painting
- Welding

#RF5000



Advantage® 4000

Now there's a revolutionary one-mask system that can adapt to a wide range of respiratory applications. Available in single-port and twin-port models, this remarkable facepiece works with air-purifying respirators, supplied-air respirators and powered air-purifying respirators. Simply choose the adapter and components that best fit your needs and lock into place.

Hycar - S, M, L

Silicone - S, M, L

Suggested Applications:

- Agriculture
- Asbestos Abatement
- Chemical
- Construction
- Electric Utility
- Hazardous Materials
- Mining
- Nuclear
- Oil and Gas
- Paper & Pulp
- Sanding & Grinding
- Spray Painting
- Welding

#RF0700



Ultra-Twin®

Features an turned lip around the edge for a secure, comfortable seal against the face, a large chin cup for easy positioning, as well as five suspension headstraps and roller buckles that hold the facepiece in place. The polycarbonate lens resists scratching and chemical attack and is held in place by a two-piece lens ring which is color-coded to indicate the size of the facepiece. Includes a speaking diaphragm for clear, short-range communications, a nose cup to reduce lens fogging and uses the full line of Comfo cartridges and filters.

Suggested Applications:

- Asbestos Abatement
- Chemical
- Electric Utility
- Hazardous Materials
- Nuclear
- Oil and Gas
- Paper & Pulp
- Sanding & Grinding
- Spray Painting
- Welding

#RM0200



OptimAir® MM 2K PAPR

The OptimAir MM 2K Powered Air-Purifying Respirator (PAPR) is designed for mold remediation and abatement. The PAPR filters particulates from ambient air and provides a constant flow of respirable air to the Advantage 3000, Ultravue or Ultra Elite Facepiece. The mask-mounted motor/blower with HEPA filter has a low profile design that enhances user maneuverability and simplifies decontamination.

Suggested Applications:

- Asbestos Abatement
- Chemical
- Electric Utility
- Nuclear
- Paper & Pulp
- Sanding & Grinding
- Welding

RM2346	Replacement HEPA Cartridge
RM0136	Battery Charger
RM0138	Replacement Battery Pk

HALF-MASK RESPIRATORS

Cartridges, Filters, and Battery Chargers Sold Separate.

#RH0200



Advantage 200 LS

Offer economy, unmatched fit, and comfort with a soft blue facepiece. The Advantage 200 LS Respirator is approved by the National Institute for Occupational Safety and Health (NIOSH) for use against a variety of respiratory hazards.

Suggested Applications:

- Agriculture
- Asbestos Abatement
- Chemical
- Construction
- Electric Utility
- Hazardous Materials
- Mining
- Nuclear
- Oil and Gas
- Paper & Pulp
- Sanding & Grinding
- Spray Painting
- Welding

#RH0420



Advantage 420

Incorporates maximum comfort, improved donning and fit, enhanced safety, and reduced maintenance cost. AnthroCurve II Sealing Surface and multi-ethnic face seal improves fit testing among diverse workforces. Patent-pending UniBond silicone facepiece helps to eliminate possible leak paths.

Suggested Applications:

- Agriculture
- Asbestos Abatement
- Chemical
- Construction
- Electric Utility
- Hazardous Materials
- Mining
- Nuclear
- Oil and Gas
- Paper & Pulp
- Sanding & Grinding
- Spray Painting
- Welding

#RH0500



Comfo Classic®

An improved version of the Comfo II respirator, featuring new SoftFeel® facepiece material, which increases the comfort factor dramatically. Exclusive new formulation that improves the pliability and softness of both Hycar rubber and silicone. The Comfo Classic respirator features a unique face seal design that gives the wearer an exceptional fit.

Suggested Applications:

- Asbestos Abatement
- Chemical
- Construcion
- Electric Utility
- Mining
- Nuclear
- Oil and Gas
- Paper & Pulp
- Sanding & Grinding
- Spray Painting
- Welding



RESPIRTORY

MSA Cartridges and Filters

	Color Code	Part No.	Model	Description	Pack
Advantage Cartridges		RCM5350-OV	815355	Organic Vapor	2/pk
		RCM5350-OV/AG	815357	Organic Vapor / Acid Gas	2/pk
		RCM5350-MG	815359	Multi Chemical	2/pk
Comfo & Ultra-Twin Cartridges		RCM5360-P100	815369	Low Profile P100	2/pk
		RCM5360-OV	815362	P100 / Organic Vapor	2/pk
		RCM5360-OV/AG	815364	P100 / Organic Vapor / Acid Gas	2/pk
		RCM5360-MC	815366	P100 / Multi Chemical	2/pk
		RCM4030-OV	464031	Organic Vapor	10/bx
		RCM4030-AG	464032	Acid Gas	10/bx
		RCM4030-OV/AG	464046	Organic Vapor / Acid Gas	10/bx
		RCM4030-A/M	464033	Ammonia / Methylamine	10/bx
		RCM4030-GME	492790	Multigas Cartridge	10/bx
		RCM4030-P100LP	815177	Low Profile P100	10/bx
		RCM5186	815186	P100 / Organic Vapor (short stack)	6/bx
		RCM5178	815178	P100 / Organic Vapor	6/bx
		RCM5180-OV	815180	Organic Vapor / Acid Gas	6/bx
		RCM5182	815182	P100 / Multigas	6/bx
Advantage Filters		RCM8346	818346	N95 Flexi-Filter® Pads for Advantage® Respirators	2/pk
		RCM8342	818342	P100 Flexi-Filter® Pads for Advantage® Respirators	2/pk
		RCM8343	818343	P100 Flexi-Filter® Pads for Advantage® Respirators (with nuisance OV/Ozone Removal)	2/pk
Comfo & Ultra Twin Filters		RM0141	809999	Comfo® Cartridge Adapter for Advantage® Respirators	2/pk
		RCM6662	816662	N95 Filter	10/pk
		RCM6287	816287	R95 Filter	20/bx
		RCM9353	489353	N95 Filter Cover (2 required)	each
		RCM9219	489219	R95 Filter Cover (2 required)	each

RESPIRTORY

North Respirators

All Available in S, M, L



FULLFACE-MASK RESPIRATORS

Cartridges, Filters, and Battery Chargers Sold Separate.

#RF7600



7600 Series

- Designed to provide eye, face and respiratory protection while providing optimum comfort.
- Offers more than a 200° field of vision and the hard coated full face polycarbonate lens protects the wearer's eyes and face against irritating gases, vapors and flying particles.
 - Polycarbonate lens also features optical properties similar to the Norton 180® Protective Spectacle to minimize distortion and astigmatism.
 - NIOSH and MSHA certified.

#RF5400



5400 Series

- One of the lightest respirators on the market...weighs just 14 oz. Full face respirator can be used as part of a PAPR or supplied air system.
- Soft, pliable full facepiece seal offers a secure fit.
 - Hardcoated, polycarbonate lens is scratch resistant, provides a wide field of vision, and protects against flying particles.
 - Oral nasal cup reduces fogging.

HALF-MASK RESPIRATORS

Cartridges, Filters, and Battery Chargers Sold Separate.

#RH7700



7700 Series

- North 7700 Half Mask face piece is made of soft, hypoallergenic silicone. Made of silicone and conforms to a worker's face better than rubber.
- Low profile of the North 7700 half mask gives workers a wide field of vision and room for protective eye wear.
 - Its low inhalation and exhalation resistance makes breathing easier, leaving more energy for production.
 - NIOSH and MSHA certified.

#RH5500



5500 Series

- The North 5500 Half Mask Respirator combines the comfort and design of the popular 7700 series with the low cost and convenience of a disposable one.
- Extremely soft and non-allergic elastomer for overall comfort and fit.
 - Contoured sealing flange helps eliminate pressure points on the face. Low dead air space eliminates rebreathing of exhaled air.
 - The direct cartridge to facepiece seal minimizes the need for replacement parts.

Ask Us About Accessories & Replacement Parts

A MUST-KNOW GUIDE FOR RESPIRATORS

Respirators are an invaluable weapon in protection against hazards caused by airborne contaminants. But before you go and waste your money on randomly chosen respirator masks, it's important to get familiar with their various types and designation.

Types to Consider

There are different types of respirators readily available for purchase, and it is important to know which one will fit and suit your needs best. Let us start with a quick overview:

N95 Respirator - This is a disposable type, where a stiff fiber cover is placed over the mouth area and the nose. It allows you to breath in clean air yet it filters out the chemicals. For comfort, a metal band found on the bridge area of your nose is bendable so you can adjust it to your face. N95 respirators are best suited for jobs that include dusting, sweeping, bagging etc.

Notable Features and Tips: In case you are allergic to Latex, look for a mask where it says 'hypoallergenic'. If you have long hair, make sure that the mask has gentle head straps.

Half Face Respirator - This type covers the mouth and the nose but it is a bit wider than the N95. Think of it as additional protection to the cheek area that can also filter out many more chemical types. You can still see clearly, although you might need to wear protective goggles as well. It has two filter cartridges to supply you with fresh air so it will

not feel warm inside and will not cause additional perspiration. Since half face respirators are usually of standard size and designed to fit most people, you may not find their size specification.

Notable Features and Tips: Half face respirator of high quality is one whose filter cartridges do not obstruct your view. The cartridges should be low-profile ones. If you are wearing a long beard, it is strongly recommended that you trim it to ensure optimal protection.

Full Face Respirator - As the name implies, this is set offering a full face protection, which is very important if you will be working with harmful elements that could impair your vision. With this, you no longer need additional protective goggles since it is built in already. Full face respirators can usually be divided into two types: mechanical and electrical. The electrical ones are also known as supplied air respirators, and are suited for jobs in environments overwhelmed with dangerous chemicals.

Notable Features and Tips: Inadequate seal of the respirator nose cup may result in lens fogging. Make sure the manufacturer of the mask you buy had this issue taken care of.

RESPIRTORY

North Cartridges and Filters



	Color Code	Part No.	Model	Description	Pack
		RCN75001-OV	N75001	Organic Vapor	2/pk
		RCN75002-AG	N75002	Acid Gas / Formaldehyde	2/pk
		RCN75003-OV/AG	N75003	Organic Vapor / Acid Gas	2/pk
		RCN75004-A/M	N75004	Ammonia / Methylamine	2/pk
		RCN75SC-MP	75SC	Multi Purpose	2/pk
		RCN75002-MV	N750052	Mercury Vapor / Chlorine, End of Service Life Indicator for Mercury Vapor	2/pk
		RCN7580-P100	7580P100	P100	2/pk
		RCN7581-OV	7581P100	P100 / Organic Vapor	2/pk
		RCN7582-AG/F	7582P100	P100 / Acid Gas / Formaldehyde	2/pk
		RCN7583-OV/AG	7583P100	P100 / Organic Vapor / Acid Gas	2/pk
		RCN7584-A/M	7584P100	P100 / Ammonia / Methylamine	2/pk
		RCN75SC-MP/100	75SCP100	P100 / Multi Purpose	2/pk
		RCN75852-MV/CG	75852P100	P100 / Mercury Vapor / Chlorine, End of Service Life Indicator for Mercury Vapor	2/pk
		RCN7190	719009N99	N99 Replacement Filter for 7190 Respirator	2/pk
		RCN7506M	7506N95	N95 Filter	10/bg
		RCN7506N	7506R95	R95 Filter	10/bg
		RCN7506P	7506N99	N99 Filter	10/bg
		RCN75FF	75FFP100	P100 Pancake Filter	2/bx
		RCF25FF-OR	75FFP100NL	P100 Pancake Filter with Odor Relief	2/pk
		RCN7535	7535FFP100	(5 pair) 75FFP100 filters and (2 each) Adapters	1/pk

RESPIRTORY

Disposable Respirators

RESPIRATORY DUST MASK

Offer relief to workers from dust and any other non-toxic airborne particulate.

3M PARTICULATE RESPIRATOR DUST MASK



#RD8210
3M 8210 Particulate Respirator

Captures up to 95% of airborne particles, including pollens, dander, mite allergen, and mold spores. Adjustable noseclip reduces eyewear fogging and helps ensure a better seal and fit. Meets NIOSH 42 CFR 84 N95 requirements.

Suggested Applications:

- Grinding, sanding, sweeping, bagging and other dusty operations
- Indoor or outdoor chores around the home

20 per box. Sold per box.



#RD8240
3M 8240 Particulate Respirator

Designed to help provide quality, reliable worker protection against certain oil and non-oil based particles. It is an excellent choice for those who have work environments that may contain oil aerosols.

Suggested Applications:

- Solids such as those from processing minerals, coal, iron ore, flour, and certain other substances.
- Liquid or oil based particles from sprays that do not also emit harmful vapors.

20 per box. Sold per box.



#RD8247
3M 8247 Particulate Respirator

Designed to help provide reliable worker protection against certain oil and non-oil based particles including those present with nuisance levels of organic vapors such as solvents, degreasers, and resins.

Suggested Applications:

- Solids such as those from processing minerals, coal, iron ore, cotton, and flour.
- Liquid or oil based particles from sprays that do not also emit harmful vapors.
- Nuisance level organic vapor relief.

20 per box. Sold per box.




#RD8271
3M 8271 P95 Particulate Respirator

Advanced electret media traps 95% of particles down to 0.3 micron, including oil-based aerosols. Appropriate for prolonged use in both oil and non-oil containing environments.

Suggested Applications:

- Solids from processing minerals, coal, iron ore, cotton & flour.
- Liquid or oil based particles from sprays that don't emit harmful vapours.
- Grinding, sanding, sweeping, bagging, machining and other dusty/oily operations

10 per box. Sold per box.




#RD8511
3M 8511 Particulate Respirator w/Exhalation Valve

Lightweight construction helps increase wear time. Electrostatically charged microfibers trap 95% of non-oil based particles down to 0.3 micron. Cool Flow Exhalation Valve helps reduce heat and humidity inside the mask.

Suggested Applications:

- Ideally suited for heat, humidity or long periods of wear
- Grinding, sanding, sweeping, bagging and other non-oil based operations.
- Additional protection against Bird Flu / Avian Influenza.

10 per box.




#RD8577
3M 8577 P95 Particulate Respirator

Protects against nuisance levels of organic vapors such as solvents, degreasers and resins and is an excellent choice for work settings that involve heat, humidity and long wear periods to help against oil and non-oil based aerosol particles.

Suggested Applications:

- Foundry operations, undercoating, lab settings, agriculture, petrochemical operations.
- Additional protection against Bird Flu / Avian Influenza.

10 per box.




#RD9210
3M 9210 N95 Particulate Respirator

This respirator is a breakthrough in comfort and convenience. This three-panel respirator with innovative design is uniquely designed to help provide comfortable, reliable worker protection against non-oil based aerosols.

Suggested Applications:

- Protection against solids, liquids or non-oil-based particles in a wide range of industrial and clean-room applications.
- Textile operations.
- Dry chemical handling.
- Construction.
- Surface preparation.

20 per box. Sold per box.



#RD9211
3M 9211 Particulate Respirator w/Exhalation Valve

Ideally suited for work settings that involve heat, humidity, or long periods of wear. Designed for protection against solids, liquids or non-oil-based particles in hot and humid environments. The 3M™ Cool Flow™ Exhalation Valve helps ensure comfort.

Suggested Applications:


- General maintenance
- Surface preparation
- Construction
- Laboratories
- Quarrying and mining
- Engineering Agriculture

10 per box.

RESPIRTORY

Disposable Respirators


GERSON RESPIRATOR DUST MASK



Gerson Smart-Mask Sapphire - #RD2130-BL
N95 NIOSH Approved Particulate Respirator.

Larger more flexible surface area than traditional molded respirators for a better fit! Lower breathing resistance than traditional molded respirators for improved comfort! Rugged blue denim look and new crush-resistant industrial construction


20 per box. 10 boxes/case



Gerson Smart-Mask N95 - #RD2140-BL
N95 Particulate Respirator with Exhalation Valve- Blue Comfort MAXX™ Super Valve provides noticeably superior level of breathing comfort.

Patented design allows a cool wearing experience while giving the wearer an opportunity to speak unmuffled Soft, adjustable nosepiece and inner layer deliver greater comfort for all-day wear.


10 per box. 10 boxes/case



Gerson Smart-Mask - #RD2130-W
N95 NIOSH Approved Particulate Respirator.

Larger more flexible surface area than traditional molded respirators for a better fit! Lower breathing resistance than traditional molded respirators for improved comfort!

20 per box. 10 boxes/case



Gerson Smart-Mask w/Exhalation Valve- #RD2180
N100 Respirators (Masks) offer the latest in advanced protection and comfort.

Technologically designed to filter out hazardous microscopic particles and effectively protect the wearer's respiratory system. Soft edges and layered material create a tight seal around the face that is made to be comfortably worn for long periods of time.

10 per box. 10 boxes/case

MOLDEX RESPIRATOR DUST MASK





#RD1200
Dirt Dawgs 1200 Particulate N95

For dust and non-oil mist applications, made with anti-collapse poly Dura-Mesh shell that withstands high humidity and keeps filter clean for extended periods.

Suggested Applications:

- Hot, humid and dusty environments such as welding, soldering and brazing, grinding, sanding, sweeping, bagging, stone quarrying, metal machining, cement, underground mining, polishing, buffing, lime, poultry and textiles. No oils present.

20 per box. Sold per box.



#RD2200
2200 Particulate N95

For dust and non-oil mist applications, made with anti-collapse poly Dura-Mesh shell that withstands high humidity and keeps filter clean for extended periods.

Suggested Applications:

- Hot, humid and dusty environments such as welding, soldering and brazing, grinding, sanding, sweeping, bagging, stone quarrying, metal machining, cement, underground mining, polishing, buffing, lime, poultry and textiles. No oils present.

20 per box. Sold per box.




#RD2300
2300 N95 Particulate w/Exhalation Valve.

For most welding applications. Dura-Mesh®'s Dura-Mesh® shell resists collapsing in hot humid conditions common to most welding applications. Meets heat and flame resistance in accordance w/ ANSI/ISEA 110.2003 Section 7.11.1.

Suggested Applications:

- Hot, humid and dusty environments such as welding, soldering and brazing, grinding, sanding, sweeping, bagging, stone quarrying, metal machining, cement, underground mining. No oils present. Note: For areas with oils present, you must use an R or P respirator.

10 per box. Sold per box.




#RD2315
2315 N99 Premium Particulate

Designed for a higher level of respiratory protection. Adjustable cloth straps and soft foam nose cushion makes this dust mask a comfortable fit while the featured exhaust valve reduces breathing resistance and hot-air build up for all day comfort.

Suggested Applications:

- Suitable for most welding applications.

10 per bag. 6 bags per case. Sold per bag.




#RD2360
2360 w/Dura Higher Filtration

Molded nose bridge with foam face cushion fits easily and comfortably without a metal noseband. Exclusive Ventex® valve lets the hot air out faster so breathing resistance is reduced and workers stay cooler.

Suggested Applications:

- Environments where an OSHA substance specific standard applies (lead, cadmium, arsenic, MDA) as well as pharmaceutical manufacturing, conventional and nuclear power generation, welding, cutting and metal pouring. For oil and non-oil based particulates.

5/box




#RD2600
2600 N95 Handy Strap Black Particulate

The exclusive Dura-Mesh® shell protects the filter media so it stays cleaner-looking longer. The shell also resists collapsing in hot, humid environments so the respirator holds its shape longer. The result is fewer respirators used and lower costs.

Suggested Applications:

- Hot, humid and dusty environments such as welding, soldering and brazing, grinding, sanding, sweeping, bagging, stone quarrying, metal machining, cement, underground mining, polishing, buffing, lime, poultry and textiles. No oils present.

15 per box. Sold per box.



#RD2740
2740 Particulate

NIOSH certified under 42CFR84 regulations to have a filter efficiency level of 95% or greater against oil and non-oil based particulate aerosols up to 10x PEL.

Suggested Applications:

- Hot, humid and dusty environments such as welding, soldering and brazing, grinding, sanding, sweeping, bagging, stone quarrying, metal machining, cement, underground mining, polishing, buffing, lime, poultry and textiles. For oil and non-oil based particulates.

10 per box. Sold per box.

TOOLS

Miscellaneous

TOOLS & more

PREVENTION SIGNAGE

Paper Signs

100 per pack



Size 11" x 17"
#MS0103 English
#MS0103S Spanish



Size 11" x 17"
#MS0106 English
#MS0107 Spanish

Labels

Self Adhesive paper labels 3" x 5" 500 per roll



MS0113	Asbestos Labels ID#9 /Roll
MS0114	Generic Label w/ID#9 on Roll



MS0104	Danger Asbestos
MS0115	Danger, Contains Asbestos
MS0120	Danger, Lead Contaminants

Caution Tape



MS1105	Danger Do Not Enter (RED) 3x1000' /rl
MS1111	Asbestos Hazard 3x1000'
MS1120	Lead Hazard 3x1000'

ELECTRICAL NEEDS



Halogen Work Light
500 Watt
MS1220

Replacement Bulb
TT0190



Wobble Light
MS1230

REPLACEMENT BULB..... TT0191

Extension Cords



50' 12/3 Extension Cord TT1203
100' 12/3 Extension Cord TT1200
50' 10/3 Extension Cord TT1205




String Lights
50' HD String Lights..... TT0199
100' HD String Lights..... TT0197



GFCI Box
TT0040


KNIVES, BLADES, TOOLS




Hammer..... TT1003



Hatchets..... TT0142




Crow Bar..... TT0143



Pry Bar..... TT01010



E-Z Glide Knife..... TT0020-8L



Utility Knife..... TT0022



Quickblade Knife Auto Loading..... TT0150

12" Stripper Handle w/Comfort Grip
TT0026



Replaceable Blades Warren Scraper

Scraper Blades 4" (100/box)..... TT0024
Scraper Blades 8" (100/box)..... TT0024A

Bi-Metal Reciprocating Saw Blades



5-In-One Combination Scraper..... TT0120

Stapler Guns

T50 HD Stapler Gun..... TT0150
3/8" 1250/pk Staples TT0148
P22 Stapler Gun..... TT0158
5/16" Staples TT0155

Electric Glue Guns

Glue Gun TT0141
Glue Sticks for Gun TT0141S

TOOLS

Miscellaneous

FLOOR PREPARATION



Floor Scrubber Machine - #TT0131

Designed for professional floor care maintenance

Including stripping, scrubbing, spray buffing, polishing, sanding and grinding on hard floor surfaces along with shampooing and bonnet cleaning of carpeted floors.

- ♦ Cast aluminum chassis is chip resistant.
- ♦ Dual deadman witch system stops motor with release of trigger.
- ♦ Non-marking 5" olid wheels
- ♦ Brush speeds 175 rpm.
- ♦ 50' power cord.

Floor Buffer Wire Brushes



StrataGrit #TT0129

Nylon filament with silicon carbide grit for you most aggressive, heavy duty stripping.

Used for scrubbing heavy soil from concrete. Features DuPont Tynex A® Nylon.



StrataGrit Plus #TT0129P



#TT0147

Floor Buffer Strip Pads

Used for heavy duty stripping and scrubbing of resilient floors, terazzo, quarry tile and concrete.




#TT0139

Spud Bar Tile Popper - #TT0123

For those really difficult hand stripping jobs, here is a real heavyweight floor scraper with terrific leverage and a long life. Featuring an all steel bar and relaceable spring steel blades and a comfortable shovel handle.

Spud Bar Blades




3.5" Blade - #TT0125
(10 pk)




6" Blade - #TT0127
(5 pk)

Miscellaneous



Wire Brushes

Wire Brush..... TT0025
Wire Tooth Brush TT0029
Wire Paint Brush..... TT0030



Scour Pad

6"x9" Green-60 Bulk MS1050
5"x10" Hvy.-Ultra Blue 20/bx... MS1058
6"x9" Med.-Black 60/bx MS1060
6"x9" Med.-Black 20/bx MS1063
6"x9" Light-Green 60/bx MS1065

Wooden Push Brooms

24' TT0017 / 18' TT0017B

Black plastic bristles, great for wet or dry sweeping.



Push Palmyra Brooms

4" L, 18" W TT0017A


For use on driveways and floor sweeping. Tough and long-lasting.



Carbon Steel Brush Broom

3 1/2" L, 16" W TT0046

Asphalt and concrete before blacktopping.



Heavy Duty 10" Deck Brush

..... TT6100

Standard threaded and tapered handles. Lacquer finish.



Wooden Handles

Threaded..... TT0112
Tapered. TT0111

Standard threaded and tapered handles. Lacquer finish.



18" Floor Rubber Squeegee

..... TT0130

18" Floor Foam Squeegee

..... TT0132

Select Cotton Mop Heads

Packaged 1 doz. per carton. TT0021

8-ply general purpose mop head made of 100% cotton.



Quick Change Mop Handle

Packaged 1 doz. per carton. TT0021A

Metal head 63" handle w/ether 1-1/8" dia. wood or 1" dia. metal.



Wooden Dust Brush

Wooden Brush..... TT0019

Dust brush with plastic bristles



Heavy Duty Dust Pan

Dust Pan TT0018M

12" Industrial Metal Dust Pan




Shovel With Wood Handle

Plastic Scoop TT0135
Metal Scoop TT0179

Fiberglass Ladders

Fiberglass composite provides greater durability.



6' Ladder LF0006
8' Ladder LF0008
10' Ladder..... LF0010
12' Ladder LF0012



INDEX

3M..... 34-35, 40
AC Adaptor for Omniguard25
Adhesive Removers.....13
Aerospace Telescoping Shower.....4
Air Movers.....21
Air Sampling Products.....22
Air Sampling Pump.....22
Biohazard Bags6
Boom - SpillTek5
Boot Covers28
Boxer Shorts.....28
Brass Faucet.....4
Broom Handles.....43
Brooms43
Carpet Shield®8
Charcoal Pleated3
Clean Step Dirt Grabber Mat8
Clear ACM Printed Bags6
Clear Flexible Ducting.....3
Coveralls..... 28-33
Curtains for Telescopic Shower4
DeGreaser.....7
Dehumidifier 18-20
Disinfectants 14-16
Disposable 3 Stage Shower4
Disposable Bags PK 10.....11
D-Lead® Lead Paint Test Kit.....24
D-Lead® Test Kits for Lead Dust24
Drieaz 20-21
Duct Tape.....7
Dumpster Liners7
Dust Brush.....43
Dust Mask..... 40-41
Dust Pan.....43
D-Wipe® Towels24
Encapsulants13
Extension Cords42
Floor Buffer Brush43
Floor Buffer Pads.....43
Floor Buffing Machine.....43
Foster15
Full Face Respirators.....34, 36, 38
Gaylord Boxes7
Gaylord Liners7
Gerson.....41
Glove Bag Vacuum11
Glove Bags7
Gloves..... 26-27
Graffiti Stripper17
Half Face Respirators.....34, 36, 38
Hammer.....42
Hand Grinder.....23

Handles Hot/Cold for Aerospace Decon.....4
Hatchet.....42
HEPA Filter3
HEPA Filter, SP3.....34
HEPA Vacuums..... 10-11
Hose for Omniguard25
Hose for Omniguard25
Hoses & Accessories5
Kleenguard..... 32-33
Labels42
Ladder43
Lag Cloth.....5
Latex Gloves.....26
Latex HazMat Boot Covers.....28
Layflat Tubing.....3
Lead Abatement Kit.....23
Lead Barrier Coat II24
Lead Stop Barrier Coat.....24
LeadCheck®.....24
Ledizolv®.....24
Lights.....42
Masking Tape.....7
MastaSorb5
Mastic Removers.....12
Micro Filter Bags.....4
Microban.....14
Mini-Tank Water Heater4
MMS Plus Moisture Reader25
Moldex41
Mop Heads43
MSA..... 36-37
Multi-Mold™ Cassette22
Negative Air Machines2-3
NiCd Battery Pack34
NiMH Battery34
Nitrile Gloves27
Non Printed Bags6
North..... 38-39
Omniguard 4 Pressure Recorder.....25
Pads - Absorbent.....5
Pads -Oil.....5
Paint Remover17
PCM Cassette22
Peel Away17
Phoenix..... 18-19
Pleated Filters.....3
Poly Pro Suits29
PolyHangers8
Polypropylene Suits29
Polysheeting6
Pre-Filter.....3
Pump Sprayer.....5

Rags - Colored5
Ram Board8
Replacement Hepa Filter.....11
Replacement Poles.....4
Replacement Smoke Tubes.....22
Replacement Water Filters4
Respirator Cartridges35, 37, 39
Respirator Filters35, 37, 39
Scour Pads43
Secondary Ring Panels.....3
Seed Bags.....6
Sentinel.....16
Shampoo5
Shoe Covers.....8
Shoe Covers.....28
Shovels.....43
Shower Head Assemble4
Signage42
Simple Green.....16
Smart Charger.....34
Smart Charger for NiMH Battery34
Smart Strip17
Smoke Test Kits22
SMS Suits.....29
Soot Sponge.....16
Sporicidin.....16
Spray Adhesive.....7
Spray Foam7
Spray Glue and Foam.....7
Spray Wand Assemble/Showers.....4
Spud Bar Blades.....43
Spud Bar Tile Popper.....43
Squeegee43
Stapler Gun42
Staples.....42
Surveymaster25
TEM Cassette.....22
Towels.....5
Trash Bags.....6
Tri-Mon Digital Pressure Reader24
Tri-Mon Manometer24
Turbo Unit Assembly.....34
Tychem31
Tyvek.....30
Utility Blades.....42
Utility Knives42
Water Filters4
Window Shield.....8
Wire Brush.....43
Zippers.....9
Zipwall Products9

SHIPPING & DELIVERY

Currently we offer shipping from our West Chester, Pa location to all 50 states in the US. All shipping and handling rates are estimated on dollar value of the order, and are strictly estimates. Once your order has been shipped, actual freight charges will appear on your Shipping Confirmation. Our shipping partner is UPS and we offer four shipping options on most orders: UPS Ground (our default method); UPS 2nd Day Air (delivered by end of 2nd business day); UPS Next Day Air Saver; UPS Freight (common carrier)

Ground Service: We ship UPS ground orders within 1 day of your order date and usually ship same day if we receive your order before 3pm EST, exceptions apply due to non-stock items and manufacturer stock levels. (95% of orders ship within 1 day). See the table below for average delivery times for your state (note: these are averages and a single delivery could get there slower or faster.

Next Day/2nd Day Air Service: Get your order there fast! Orders received Monday - Friday (shipping days) before 3 p.m. - EST will be shipped out same day of your order, some exceptions apply. Orders received after 3 p.m. - EST will be shipped next day from warehouse.

Freight Service: On large volume/weight orders, we ship UPS Freight on shrink wrapped pallets. Orders typically ship within 1 day of order date if we receive your order before 3 p.m. - EST, some exceptions apply. Rates will be calculated and appear on your Shipping Confirmation.

ORDERING & PAYMENT

TheSafetyhouse.com Guarantee: We guarantee your 100% satisfaction. We will match anyone's advertised pricing on exact product. We will replace, credit, or refund your order if your are not completely satisfied.

Personal Assistance: Our qualified representatives are available Monday-Friday, 8:00am-6:00pm, 1.800.872.3684.

Large Volume Pricing: Need a quote on large orders? Defintely take advantage of our volume discounts. Contact our reps.

Non-Stock Ordering: Don't see what your looking for? You have access to all major manufacturers and suppliers. Please contact us for special ordering.

Customized Products: We do offer custom ordering on select products: hard hats, safety glasses, and more. Our representatives are standing by to help you.

Payment, Pricing & Promotions: We accept Visa, Mastercard, American Express and Discover.

PRODUCT DAMAGE & RETURNS

If a product purchased is defective or not to Buyer's satisfaction, Buyer can return the product in its original condition within 30 days of receipt. If you receive damaged products; please refuse the products upon original delivery from shipping carrier. If damaged products are accepted from the carrier, such damage should be noted on the carrier delivery record. Please save the product and the original box and packaging and notify TheSafetyhouse.com immediately to arrange for a carrier inspection and a pick up of damaged products. Please notify TheSafetyhouse.com Customer Service at info@thesafetyhouse.com of damaged products WITHIN THE FIRST 10 DAYS of receipt. Timely receipt of this information is necessary for TheSafetyhouse.com to file a damage claim.

Online: Please use My Account tools at www.TheSafetyhouse.com or contact TheSafetyhouse.com Customer Service at info@thesafetyhouse.com, to obtain a Return Authorization (RA) before shipping products back to TheSafetyhouse.com. This will expedite and help ensure the proper action or credit upon processing. In order to expedite a return, please have the following information on hand when requesting an RA number: Customer number, invoice number, reason for return, action to take (replacement/repair/return/credit) and whether the box has been opened or is manufacturer sealed. Click My Account to request an RA online.

Returning: Please return all products 100% complete including all original manufacturer boxes with the UPC code and packing materials, accessories and any other documentation included with the original shipment. RA approval is contingent upon, among other things, the products being 100% complete. Customer is responsible for shipping charges to TheSafetyhouse.com distribution center for all products being shipped for return, exchange or replacement. Products exchanged or replaced will be shipped by TheSafetyhouse.com to Customer, at TheSafetyhouse.com expense, using the same shipping method as was used by Customer to ship the original products back to TheSafetyhouse.com.

Customer Responsibility: Customer is responsible for all risk of loss and damage to products being shipped for return, exchange or replacement. Please fully insure return shipment in case of loss or damage. Please use a carrier that is able to provide you with proof of delivery such as UPS, Federal Express or Airborne Express. This is for your protection as well as to ensure quick action on your return. Return guidelines vary by manufacturer. Please contact TheSafetyhouse.com Customer Service at info@thesafetyhouse.com for details

Return shipping address:

Call 1-800-872-3684 for address.

Failure to return a product within the applicable return period will be deemed to be an acceptance of the product.



Where The Best Brands Meet!

Your One Stop for Safety Environmental Supplies

Featuring:

- Plastic Poly Sheeting
- Protective Clothing
- Respirators
- Full Face Mask
- Chemicals Mastic Removers
- Chemical Encapsulants
- Asbestos Abatement
- Lead and Mold Abatement
- Decontamination
- Spill Containment Products
- Facility Maintenance
- *And Much, Much More!*



West Chester, PA 19382
Order Online: www.thesafetyhouse.com

Order Toll Free: 1-800-872-3684
Order by FAX: 1-610-436-4983