

SAFETY DATA SHEET

99 Aldan Avenue, Suite 5 • Glen Mills, PA 19342 1-800-872-3684 • PH: 610-344-0637 • FAX: 1-610-436-4983 www.thesafetyhouse.com

Issue Date 23-Jun-2011

Revision Date 3-Mar-2015

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name

Peel Away ST-1

Other Means of Identification

SDS#

DCI-026

UN/ID No

UN1823

Recommended Use of the Chemical and Restrictions on Use

Recommended Use

Paint removal from steel structures.

Details of the Supplier of the Safety Data Sheet

Supplier Address

Dumond Chemicals, Inc. 83 General Warren Blvd

Suite 190

Malvern, PA 19355

Emergency Telephone Number

Company Phone Number Emergency Telephone 1-609-655-7700

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage May cause respiratory irritation. May cause drowsiness or dizziness



Appearance blue paste

Physical State Paste

Odor No odor

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Calcium hydroxide	1305-62-0	21
Magnesium hydroxide	1309-42-8	16
Sodium hydroxide	1310-73-2	9
Water	N/A	46

4. FIRST AID MEASURES

First Aid Measures

Inhalation Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Seek immediate medical attention/advice.

Eye Contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Seek immediate medical attention/advice.

Ingestion If conscious, give 1 glass of water or milk to dilute. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention if necessary.

Skin Contact Wash thoroughly with soap and water (15-30 minutes) until no traces of the chemical

remain. Remove contaminated clothing and shoes. Get medical attention if irritation occurs.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms Causes painful stinging or burning of eyes and lids, watering of eyes. May cause severe

chemical burns with reddening and pain. Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract. May cause burns to mouth, esophagus and stomach. Swallowing large quantities may cause gastrointestinal tract irritation,

nausea, vomiting, and diarrhea.

100 pt. 100 p

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

At elevated temperatures, containers may rupture. Contents are corrosive and all personal contact must be avoided. Cool containers exposed to flames with water until well after the fire is out.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions Do not allow into any sewer, on the ground or into any body of water.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Collect using an inert absorbent material

and place in appropriate containers for disposal.

Methods for Cleaning Up Keep in suitable, closed containers for disposal. Wash spill area with plenty of water. Spills

and releases may have to be reported to Federal and/or local authorities. See section 15.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Protect container

from physical damage. Since empty container retains residue, follow all label warnings even after container is empty. Avoid contact with skin, eyes or clothing. Do not breathe mists or aerosols. Remove contaminated clothing and shoes. Wash thoroughly after handling before eating, drinking, smoking, or using toilet facilities. Use personal protection recommended in

Section 8. Use only in well-ventilated areas.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep away from acids and other incompatible materials. Keep container tightly closed and

store in a cool, dry and well-ventilated place. Store locked up.

Incompatible Materials Acids. Flammable liquid. Organic halogen compounds. Nitromethane. Metals such as

aluminum, tin, and zinc.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium hydroxide 1305-62-0	TWA: 5 mg/m ³	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 5 mg/m³ not in effect as a result of reconsideration	TWA: 5 mg/m ³
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m³ (vacated) Ceiling: 2 mg/m³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³

Appropriate Engineering Controls

Engineering Controls For operations where contact can occur, a safety shower and an eye wash facility should

be available. Good general room ventilation (equivalent to outdoors) should be adequate

under normal conditions.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection Use chemical safety goggles and/or full-face shield where dusting is possible. Do not wear

contact lenses.

Skin and Body Protection Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact. Rubber, neoprene, or other impervious gloves are

recommended to prevent skin contact.

Respiratory Protection None needed under normal use conditions with adequate ventilation. If the occupational

exposure limits are exceeded, a NIOSH approved respirator with acid gas cartridges or supplied air respirator appropriate for the form and concentration of the contaminants should be used. Selection and use of respiratory equipment must be in accordance with

OSHA 1910.134 and good industrial hygiene practice.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical StatePasteAppearanceblue pasteOdorNo odorColorBlueOdor thresholdNot determined

Property Values Remarks • Method

pH 12

Melting point/freezing point Not available

Boiling point/boiling range $> 100 \, ^{\circ}\text{C} \, / \, 212 \, ^{\circ}\text{F}$

Flash point
Evaporation rate
Flammability (solid, gas)
Not determined

Flammability limits in air

Upper flammability limits
Lower flammability limit
Vapor pressure
Vapor density

Not applicable
Not applicable
Similar to water
Same as water

Specific gravity 1.33

Water solubility

Solubility in other solvents

Partition coefficient

Autoignition temperature

Completely soluble

Not determined

Not available

Not established

Decomposition temperature
Kinematic viscosity
Dynamic viscosity
Explosive properties
Oxidizing Properties
Not determined
Not determined
Not determined
Not determined

Other Information

VOC Content (%) 0% VOC Content 0 lbs/gal

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Acids. Flammable liquid. Organic halogen compounds. Nitromethane. Metals such as aluminum, tin, and zinc.

Hazardous Decomposition Products

None known.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation Avoid breathing vapors or mists.

Eye Contact Causes serious eye damage.

Skin Contact Causes severe skin burns.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	∞ =
Calcium hydroxide 1305-62-0	= 7340 mg/kg (Rat)	-	12=
Magnesium hydroxide 1309-42-8	= 8500 mg/kg (Rat)	-	(<u>-</u>
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	(#

Information on Physical, Chemical and Toxicological Effects

Symptoms Causes painful stinging or burning of eyes and lids, watering of eyes. May cause severe

chemical burns with reddening and pain. Mists and vapors cause irritation of the eyes, mucous membranes, and upper respiratory tract. May cause burns to mouth and

gastrointestinal corrosion.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

STOT - single exposure May cause respiratory irritation. May cause drowsiness or dizziness.

Numerical Measures of Toxicity- Product

Not determined

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 21097 mg/kg

 ATEmix (dermal)
 9445 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Calcium hydroxide 1305-62-0		160: 96 h Gambusia affinis mg/L LC50 static		
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

Persistence and Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Not determined.

Other Adverse Effects Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Chemical Name	California Hazardous Waste Status

Calcium hydroxide 1305-62-0	Corrosive
Sodium hydroxide	Toxic
1310-73-2	Corrosive

14. TRANSPORT INFORMATION

Note Based on package size, product may be eligible for limited quantity exception

DOT

UN/ID No UN1823

Proper Shipping Name Sodium hydroxide, solid, mixture

Hazard Class 8
Packing Group II

IATA

UN/ID No UN1823

Proper Shipping Name Sodium hydroxide, solid, mixture

Hazard Class 8
Packing Group II

IMDG

UN/ID No UN1823

Proper Shipping Name Sodium hydroxide, solid, mixture

Hazard Class 8
Packing Group II

15. REGULATORY INFORMATION

International Inventories

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC

China Inventory of Existing Chemical Substances KECL -

Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

SARA 311/312 Hazard Categories

Acute health hazard Yes Chronic Health Hazard No Fire hazard No Sudden release of pressure hazard No Reactive Hazard No

Chemical Name	CWA - Reportable Quantities	CWA - Toxic	Pollutants	CWA - Priority Pol	lutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lb					Х
Chemical Name	Hazardous Subst	ances RQs	CERC	LA/SARA RQ	Re	portable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb					RQ 1000 lb final RQ RQ 454 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium hydroxide 1305-62-0	Х	X	X
Sodium hydroxide 1310-73-2	Х	X	Х

U.S. EPA Label Information

Revision Date 3-Mar-2015 DCI-026 - Peel Away ST-1

16. OTHER INFORMATION

Health Hazards Flammability Instability Special Hazards NFPA Not determined

Personal Protection Physical Hazards HMIS **Health Hazards** Flammability Not determined Not determined Not determined Not determined

Issue Date 23-Jun-2011 12-Dec-2012 **Revision Date** New format **Revision Note**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet