



THESAFETYHOUSE.COM PART #: CHM3500

**SAFETY DATA SHEET      TRADE NAME: 350 CITRUS BLEND (CARB COMPLIANT)**

PAGE 1 OF 8

ISSUE DATE: 4/15/2015

**I      PRODUCT AND COMPANY IDENTIFICATION**

**GHS PRODUCT IDENTIFIER:**

TRADE NAME;                      350 CITRUS BLEND CARB COMPLIANT MASTIC REMOVER

**OTHER MEANS OF IDENTIFICATION:**

**RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE:**

RECOMMENDED USE: ADHESIVE REMOVER

**SUPPLIER'S DETAILS:**

THESAFETYhouse.com  
99 Aldan Ave., SUITE 5  
Glen Mills, PA 19342  
(800) 872-3684

**II      HAZARD IDENTIFICATION**

**GHS CLASSIFICATION:**

GHS CLASSIFICATION SCALE: (1=SEVERE HAZARD, 4=SLIGHT HAZARD)

**PHYSICAL HAZARDS:**

FLAMMABLE LIQUIDS    CATEGORY 4

**HEALTH HAZARDS:**

ASPIRATION HAZARD    CATEGORY 1  
SERIOUS EYE DAMAGE IRRITATION                              CATEGORY 2  
SKIN SENSITIZER    CATEGORY 1  
AQUATIC TOXICITY    ACUTE 2

**LABEL ELEMENTS:**

**SIGNAL WORD: DANGER**

**HAZARD STATEMENTS:**

Combustible liquid  
Causes serious eye irritation  
May be fatal if swallowed and enters airways  
May cause an allergic skin reaction  
Toxic to aquatic life

**HAZARD SYMBOLS:****PRECAUTIONARY STATEMENTS:**

Keep out of reach of children

Keep away from heat, sparks, open flames, hot surfaces. No smoking.

Keep cool

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands, face and all exposed skin areas after handling.

Wear protective gloves/protective clothing/eye protection/face protection

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment

**PRECAUTIONARY STATEMENTS (RESPONSE):**

**IF SWALLOWED:** Immediately call a poison center or doctor or physician. Do not induce vomiting.

**IF ON SKIN:** Wash with plenty of soap and water. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

**IN CASE OF FIRE:** Use dry chemical, co2 or foam to extinguish. Collect spillage.

**PRECAUTIONARY STATEMENTS (STORAGE):**

Store in a well ventilated place. Keep cool. Store locked up.

**PRECAUTIONARY STATEMENTS (DISPOSAL):**

Dispose of contents/container to an approved waste disposal plant in accordance with applicable local/regional/national and international regulations and product characteristics at time of disposal.

**OTHER HAZARDS:**

Repeated or prolonged exposure can cause skin dryness or cracking.

**III COMPOSITION/ INFORMATION ON INGREDIENTS**

INGREDIENT IDENTITY	CAS NUMBER	PERCENTAGE
DISTILLATES, PETROLEUM HYDROTREATED, LIGHT	64742-47-8	PROPRIETARY
D-LIMONENE	5989-27-5	PROPRIETARY
DIETHYLENE GLYCOL MONOBUTYL ETHER	112-34-5	PROPRIETARY

REMAINING INGREDIENTS ARE NOT REPORTABLE UNDER OSHA/SDS GUIDELINES. THE EXACT PERCENTAGES OF SOME INGREDIENTS HAVE BEEN WITHHELD AS (CBI) CONFIDENTIAL BUSINESS INFORMATION TRADE SECRET.

## **IV FIRST AID MEASURES**

**INGESTION:** If swallowed, call a poison control center immediately. Wash out mouth with water. Do not induce vomiting; this product is an aspiration hazard. If spontaneous vomiting occurs, keep head below hips to prevent aspiration of liquid into the lung. Never give anything by mouth to an unconscious person.

### **SAFETY DATA SHEET**

### **TRADE NAME: 350 CITRUS BLEND (CARB COMPLIANT)**

PAGE 3 OF 8

**SKIN CONTACT:** Remove contaminated clothing. Wash with soap and plenty of water for 15 minutes. Wash contaminated clothing before reuse. If irritation occurs get medical advice.

**INHALATION:** Move individual away from exposure and into fresh air. If breathing is irregular or stopped, administer artificial respiration. In case of shortness of breath, give oxygen. Call a physician.

**EYE CONTACT:** Rinse cautiously with water for several minutes. Remove contact lenses if easy to do. Continue rinsing. If eye irritation persists, get medical attention/advice.

#### **Most Important Symptoms and Effects, Acute and Delayed**

**INGESTION:** Symptoms may include diarrhea, gastric pain, and vomiting.

**SKIN CONTACT:** Symptoms may include redness, dryness and cracking of skin.

**INHALATION:** Symptoms may include irritation of respiratory tract and/or CNS symptoms such as dizziness, confusion, drowsiness or fatigue.

**EYE CONTACT:** Symptoms may include stinging, tearing, redness and blurred vision.

#### **Indication of immediate medical attention and special treatment needed, if necessary.**

Treat Symptomatically.

## **V FIRE FIGHTING MEASURES**

**Suitable extinguishing media:** Use fire extinguishers rated for class B fires. CO<sub>2</sub>, Foam.

**Unsuitable extinguishing media-** Do not use water jet. If water is used utilize fog nozzle or apparatus.

**Specific hazards arising from the chemical:** Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard.

**Hazardous thermal decomposition products:** carbon monoxide and CO<sub>2</sub>

**Special protective actions for fire-fighters:** Keep product containers and surrounding areas cool with water spray. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters:** Fire fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## **VI ACCIDENTAL RELEASE MEASURES**

## **Personal precautions, protective equipment and emergency procedures:**

**For non-emergency personnel:** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No Flares, smoking or flames in hazard

## **SAFETY DATA SHEET**

## **TRADE NAME: 350 CITRUS BLEND (CARB COMPLIANT)**

PAGE 4 OF 8

area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**For emergency responders:** If specialized clothing is required to deal with the spillage, take note of information in section 8 for further information. See also information in non-emergency personnel above.

**Environmental precautions:** Avoid dispersal of spilled material with soil, waterways, drains and sewers. See section 12 for additional ecological information.

## **Methods and materials for containment and cleaning up.**

**Small spill:** Stop leak if without risk. Move containers from the spill area. Use spark proof tools and equipment. Absorb with an inert dry non combustible material such as diatomaceous earth or vermiculite and place in an appropriate waste disposal container. Mop any remaining residues with soap and water and dispose of wastes via a licensed waste disposal contractor according to federal, state and local regulations.

**Large spill:** Stop leak if without risk. Move containers from spill area. Use spark proof tools and equipment. Prevent entry into sewers, drains, water courses and confined areas. Wash spillages into an effluent treatment plant or absorb with an inert dry non combustible material such as diatomaceous earth or vermiculite and place in a appropriate waste disposal containers. Mop any remaining residues with soap and water and dispose of wastes via a licensed waste disposal contractor according to federal, state and local regulations.

## **VII HANDLING AND STORAGE**

### **Precautions for Safe Handling:**

**Safe Handling Advice:** Utilize appropriate personal protective equipment when handling product. Do not swallow. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mists. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container and tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. No smoking. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection and face protection during use. Do not flame cut, braze or weld emptied containers as they contain product residues and all precautions within this sds still apply and should be followed.

**Advice on general occupational hygiene:** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional hygiene information.

**Conditions for safe storage including any incompatibilities:**

Store in original container in a dry, cool and well ventilated area away from strong oxidizing agents (see section 10) and food and drink. Store locked up. Eliminate all ignition sources. Keep container tightly closed when not in use. Do not store in unlabeled containers.

**SAFETY DATA SHEET** **TRADE NAME: 350 CITRUS BLEND (CARB COMPLIANT)**

PAGE 5 OF 8

**VIII EXPOSURE CONTROLS/PERSONAL PROTECTION**

<u>Control Parameters</u>	<u>Occupational Exposure Limits</u>		
<u>Ingredient Identity</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>NIOSH IDLH</u>

Diethylene glycol 112-34-5		TLV NIC 67.5 mg/m3	NIC 10 ppm
Monobutyl ether			

Distillates, Petroleum TWA:skin absorption 200mg/m3 (as total hydrocarbon vapor) 8 hours  
Hydrotreated, Light 64742-47-8  
d-limonene 5989-27-5 8hr TWA=30ppm

**Appropriate Engineering Controls**

**Engineering Controls:** Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants and air concentrations below occupational exposure standards. Use spark proof ventilation equipment.

**Individual protection measures, such as personal protective equipment. (PPE)**

**Eye/Face Protection:** Wear approved safety goggles with side shields

**Skin & Body Protection:** Wear chemical resistant, impervious gloves at all times when handling chemical products. Check during use that gloves are still retaining their impervious properties, as the time for breakthrough can change from different manufacturers and chemical mixtures can not always be accurately measured. Appropriate footwear and suitable protective clothing should be worn for the degree and risk of exposure.

**Respiratory Protection:** If workplace exposure limits of product or any component is exceeded, utilize proper respiratory protection program guidelines (see OSHA 1910.134 and American National Standard ANSI Z88.2) Use a properly fitted NIOSH/MSHA air-purifying or air-fed respirator in compliance with the above mentioned standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**IX PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: amber liquid

Odor: mild citrus solvent

Odor threshold: not available

pH: not applicable

Melting Point/Freezing Point: -56F

Initial Boiling Point/Range: 344F-473F

Flash Pt: 142-150F

Evaporation Rate: <1 (butyl acetate=1)

Lower explosive limits: .6% Aliphatic Solvent

Upper explosive limits: 7.0% Aliphatic Solvent

Vapor Pressure: meets CARB guidelines

Vapor Density: 4.5-5 (air=1)  
Relative Density: .83  
Solubility in water: Emulsifies  
Partition coefficient: not applicable  
Auto ignition temp: >428F  
Decomposition Temp: not available  
Viscosity: not applicable  
Voc's: <5%, calculated, does not include exempted solvents and/or water

**SAFETY DATA SHEET** **TRADE NAME: 350 CITRUS BLEND (CARB COMPLIANT)**

PAGE 6 OF 8

**X STABILITY AND REACTIVITY**

Reactivity: Stable in normal ambient temperature and pressure

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: not under normal conditions of storage and use.

Conditions to Avoid: Avoid all possible sources of ignition. Do not pressurize, cut weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.

Incompatible Materials: Oxidizing materials

Hazardous Decomposition Products: Carbon monoxide and Carbon Dioxide

**XI TOXICOLOGICAL INFORMATION**

**Acute toxicity: not classified,**

**Skin corrosion irritation: not classified,**

**Serious Eye damage: classified, Category 2, Causes serious eye irritation**

**Sensitization: classified, Category 1, may cause an allergic skin reaction, d-limonene 5989-27-**

**Mutagenicity: Not classified,**

**Carcinogenicity: Not classified**

**Reproductive Toxicity: Not Classified**

**Teratogenicity: Not Available**

**Specific target Organ Toxicity (single exposure)**

**Not classified**

**Specific target Organ Toxicity (repeated exposure):**

**Not classified**

**Aspiration Hazard:**

Distillate petroleum hydrotreated, light 64742-47-8, Aspiration Hazard Category 1

**SAFETY DATA SHEET**

**TRADE NAME: 350 CITRUS BLEND (CARB COMPLIANT)**

PAGE 7 OF 8

**Information on the likely routes of exposure:**

**Ingestion:** May be harmful if swallowed. May be fatal if swallowed and enters airways.

**Inhalation:** not expected; however symptoms could be light headedness, dizziness, fatigue

**Skin:** May cause allergic skin reaction.

**Eye:** Causes serious eye irritation

**Symptoms related to the physical, chemical and toxicological characteristics**

**Ingestion:** See section iv, most important symptoms and effects, acute and delayed.

**Inhalation:** See section iv, most important symptoms and effects, acute and delayed.

**Skin:** See section iv, most important symptoms and effects, acute and delayed.

**Eye:** See section iv, most important symptoms and effects, acute and delayed.

**Delayed and immediate effects and also chronic effects from short and long term exposure.**

General: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and/or dermatitis

Carcinogenicity: no known significant effects or critical hazards. Not classifiable.

**Numerical measures of Toxicity**

Not Available

**XII ECOLOGICAL INFORMATION**

**Toxicity:**

<u>Ingredient name</u>	<u>Result</u>	<u>Species</u>	<u>Exposure</u>
Distillate Petroleum, Chronic NOEL Hydrotreated, light	0.48 mg/l	Daphnia	21 days

**Persistence and degradability:**

Distillate Petroleum: Biodegradability-inherent  
Hydrotreated

Diethylene glycol monobutyl ether 112-34-5: readily biodegradable

**Bioaccumulation Potential:**

Not expected to bioaccumulate

**Mobility in Soil:**

No data

**Other adverse Effects:**

No known significant effects or critical hazards

**XIII DISPOSAL CONSIDERATIONS**

Dispose in accordance with applicable federal, state and local regulations.

**SAFETY DATA SHEET****TRADE NAME: 350 CITRUS BLEND (CARB COMPLIANT)**

PAGE 8 OF 8

**XIV TRANSPORT INFORMATION****DOT:**

This product is NOT REGULATED if packaged under 119 gallons per container by DOT when shipping in North America.

UN ID # NA1993

SHIPPING NAME: COMBUSTIBLE LIQUID, N.O.S. (CONTAINS PETROLEUM DISTILLATES)

HAZARD CLASS: 3

PACKING GROUP: III

RQ N/A

PLACARDING: PLACARDING EXEMPTION 173.150F

**IATA:** NOT REGULATED

**IMDG:** NOT REGULATED

**XV REGULATORY INFORMATION**

**U.S. FEDERAL REGULATIONS:** All ingredients are listed or exempted with TSCA.

SARA 302/304: no products were found.

SARA 311/312: fire hazard, acute, chronic

Ingredient	%	FIRE HAZARD	PRESSURE RELEASE	REACTIV E	IMMEDIATE ACUTE	DELA Y E D CHRONIC
Distillate Petroleum, Hydrotreated 64742-47-8	80-95	YES				
Diethylene glycol monobutyl ether 112-34-5					YES	YES

SARA 313: Diethylene glycol monobutyl ether 112-34-5

THRESHOLD REPORTING 1%

STATE REGULATIONS:

Ingredient	New York	New Jersey	Massachusetts	Pennsylvania
Distillate Petroleum Hydrotreated. 64742-47-8	No	No	No	No
Diethylene glycol monobutyl ether 112-34-5	No	Yes	Yes	yes

California Prop 65: none known

**XVI OTHER INFORMATION**

HMIS RATING: HEALTH (1) FIRE (2) REACTIVITY (0)

4=EXTREME, 3=HIGH, 2=MODERATE, 1=SLIGHT, 0=INSIGNIFICANT



NOTICE TO READER: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. The information on this sds was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Users are advised to confirm in advance of need, that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the sds. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.